Index of Authors

AKHTAR, M. *see* ZAMAN, Z. 257–263

ALLEN, A. K. & NEUBERGER, A. The purification and properties of the lectin from potato tubers, a hydroxyproline-containing glycoprotein 307–314

AMBLER, R. P. The amino acid sequence of cytochrome *c'* from *Alcaligenes* sp. N.C.I.B. 11015 751–758

ANDREWS, P., KITCHEN, B. J. & WINZOR, D. J. Use of affinity chromatography for the quantitative study of acceptor–ligand interactions: the lactose synthetase system 897–900

ANSARI, A. A. & SALAHUDDIN, A. Purification and some properties of rabbit anti-ovalbumin 705–711

APPLEBAUM, S. W. & SCHLESINGER, H. M. Regulation of locust fat-body phosphorylase 37–41

ARCHIBALD, A. R. *see* SHIBAEV, V. N. 383–384

ATKINS, E. D. T. *see* NIEDUSZYNSKI, I. A. 729–733

ATKINS, G. L. & NIMMO, I. A. The reliability of Michaelis constants and maximum velocities estimated by using the integrated Michaelis–Menten equation 779–784

BADAWY, A. A.-B. & EVANS, M. The effects of chronic phenobarbitone administration and subsequent withdrawal on the activity of rat liver tryptophan pyrrolase and their resemblance to those of ethanol 555–557

BADDILEY, J. *see* SHIBAEV, V. N. 383–384

BAILEY, A. J. *see* ROBINS, S. P. 657–665

BAILEY, C. J. & RAMSHAW, J. A. M. The electrophoretic mobility of peptides on paper at pH 1.9 889–891

BAKER, J. R. *see* FOLEY, T. 187–192

BARNETT, J. E. G., HOLMAN, G. D. & MUNDAY, K. A. An explanation of the asymmetric binding of sugars to the human erythrocyte sugar-transport systems 539–541

BARRY, S. & O'CARRA, P. Affinity chromatography of nicotinamide–adenine dinucleotide-linked dehydrogenases on immobilized derivatives of the dinucleotide 595–607

BAR-TANA, J., ROSE, G. & SHAPIRO, B. Palmitoyl-coenzyme A synthetase. Isolation of an enzyme-bound intermediate 411–416

BARTLEY, W. *see* DEAN, B. 667–672

BENNETT, N. G. & GUTFREUND, H. The kinetics of the interconversion of intermediates of the reaction of pig muscle lactate dehydrogenase with oxidized nicotinamide–adenine dinucleotide and lactate 81–85

BENTLEY, K. W. & CREASER, E. H. Qualitative determination of *N*-terminal amino acids of peptides and proteins with cobalt(III) chelates 507–511

BENTLEY, P., DICKINSON, L. F. M. & JONES, I. G. Purification and properties of rabbit muscle L-glycerol 3-phosphate dehydrogenase 853–859

BERRE, Å. G., ØSTERUD, B., CHRISTENSEN, T. B., HOLM, T. & PRYDZ, H. Some characteristics of the coagulation factor X*a* purified from human serum 791–795

BEZKOROVAINY, A. *see* NICHOLS, J. H. 875–880

BHATTI, A. R. Separation and partial characterization of two types of alkaline phosphatase from *Serratia marcescens* 537–538

BIEMANN, K. *see* FÖRSTER, H. J. 133–143; HAIGH, W. G. 145–149

BIRDI, K. S. The binding of cationic detergent to insulin, zinc–insulin and iso-insulin 253–255

BJÖRNDAL, H. *see* MANNERS, D. J. 31–36

BLINKHORN, C. & JONES, M. N. The effect of surfactant structure on ribonuclease A–surfactant interactions 547–549

BRAY, R. C. *see* SMITH, B. E. 331–341

BRITTON, H. G. *see* MILSTEIN, C. P. 551–553

BROWN, S. B. *see* JONES, P. 353–359

BULLARD, B., DABROWSKA, R. & WINKELMAN, L. The contractile and regulatory proteins of insect flight muscle 277–286

BURRIS, R. H. *see* CAMPBELL, W. H. 617–630

BUTTRESS, N. *see* RICHARDSON, N. E. 87–92

CAMPBELL, J. W. *see* VORHABEN, J. E. 893–896

CAMPBELL, W. H., ORME-JOHNSON, W. H. & BURRIS, R. H. A comparison of the physical and chemical properties of four cytochromes *c* from *Azotobacter vinelandii* 617–630

CAMPOS-CAVIERES, M. & MUNN, E. A. Purification and some properties of cytoplasmic aspartate aminotransferase from sheep liver 683–693

CARNEGIE, P. R., KEMP, B. E., DUNKLEY, P. R. & MURRAY, A. W. Phosphorylation of myelin basic protein by an adenosine 3′:5′-cyclic monophosphate-dependent protein kinase 569–572

CBN, *see* IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE

CHANDA, S. K., ICKOWICZ, R. & DOUNCE, A. L. High total histone/deoxyribonucleic acid ratios for rat liver nuclei 115–123

CHOU, T.-C. *see* LOMBARDINI, J. B. 43–57

CHRISTENSEN, T. B. *see* BERRE, Å. G. 791–795

CHUNG, C.-H. *see* LIU, C.-C. 367–373

CLARK, A. G., SMITH, J. N. & SPEIR, T. W. Cross specificity in some vertebrate and insect glutathione transferases with methyl parathion (dimethyl *p*-nitrophenyl phosphorothionate), 1-chloro-2,4-dinitrobenzene and *S*-crotonyl-*N*-acetylcysteamine as substrates 385–392

CLARKE, J. B. *see* MILSTEIN, C. P. 551–553

COLVIN, J. R. *see* FÖRSTER, H. J. 133–143; HAIGH, W. G. 145–149

COOKE, R. D. *see* HOLBROOK, J. J. 901–903

CORRY, M. J. *see* PAYNE, P. I. 845–851

COX, R. A. *see* HADJIOLOV, A. A. 349–351

CREASER, E. H. *see* BENTLEY, K. W. 507–511

DABROWSKA, R. *see* BULLARD, B. 277–286

DANSON, M. J. & WEITZMAN, P. D. J. Functional groups in the activity and regulation of *Escherichia coli* citrate synthase 513–524

DARVEY, I. G. The steady-state kinetics of isotope exchange for one substrate–one product enzymic reactions 861–866

DAS, M. & RADHAKRISHNAN, A. N. Glycyl-L-leucine hydrolase, a versatile 'master' dipeptidase from monkey small intestine 609–615

DAVIS, J. G. *see* ZAHNLEY, J. C. 59–61

DEAN, B. & BARTLEY, W. Oxaloacetate decarboxylases of rat liver 667–672

De Lucca, F. L. *see* Giorgini, J. F. 73–79
Dickinson, L. F. M. *see* Bentley, P. 853–859
Dixon, S. N. *see* Gibbons, R. A. 649–653
Dounce, A. L. *see* Chanda, S. K. 115–123
Duckworth, M. *see* Shibaev, V. N. 383–384
Dunkley, P. R. *see* Carnegie, P. R. 569–572
Dyer, T. A. *see* Payne, P. I. 845–851

Eady, R. R. Nitrogenase of *Klebsiella pneumoniae*. Interaction of the component proteins studied by ultracentrifugation 531–535
Edelstein, S., Lawson, D. E. M. & Kodicek, E. The transporting proteins of cholecalciferol and 25-hydroxycholecalciferol in serum of chicks and other species. Partial purification and characterization of the chick proteins 417–426
Edwards, P. A. *see* Green, J. R. 63–71
Ellis, R. B. *see* Ikonne, J. U. 457–462
Evans, M. *see* Badawy, A. A.-B. 555–557
Evans, W. H., Hood, D. O. & Gurd, J. W. Purification and properties of a mouse liver plasma-membrane glycoprotein hydrolysing nucleotide pyrophosphate and phosphodiesterase bonds 819–826
Evans, W. H. *see also* Gurd, J. W. 827–832
Eyré, D. R. & Glimcher, M. J. Collagen cross-linking. Isolation of cross-linked peptides from collagen of chicken bone 393–403

Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J. The alkylation of 2′-deoxyguanosine and of thymidine with diazoalkanes. Some observations on *O*-alkylation 203–213
Farmer, P. B. *see also* Lawley, P. D. 193–201
Feinstein, A. *see* Richardson, N. E. 87–92
Focant, B. & Watts, D. C. Properties and mechanism of action of creatine kinase from ox smooth muscle. Anion effects compared with pyruvate kinase 265–276
Foley, T. & Baker, J. R. Heparan sulphate sulphotransferase. Properties of an enzyme from ox lung 187–192
Förster, H. J., Biemann, K., Haigh, W. G., Tattrie, N. H. & Colvin, J. R. The structure of novel C_{35} pentacyclic terpenes from *Acetobacter xylinum* 133–143
Förster, H. J. *see also* Haigh, W. G. 145–149
Foster, A. B. *see* Farmer, P. B. 203–213
Frère, J.-M. Enzymic mechanisms involving concomitant transfer and hydrolysis reactions 469–481
Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M. Kinetics of concomitant transfer and hydrolysis reactions catalysed by the exocellular DD-carboxypeptidase–transpeptidase of *Streptomyces* R61 483–492
Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M. Molecular weight and amino acid composition of the exocellular DD-carboxypeptidase–transpeptidase of *Streptomyces* R61 463–468
Frère, J.-M. *see also* Nieto, M. 493–505
Fromme, I. *see* Weckesser, J. 293–297

Gevers, W. *see* Jones, P. A. 375–378
Ghuysen, J.-M. *see* Frère, J.-M. 463–468, 483–492; Nieto, M. 493–505
Gibb, W. & Jeffery, J. 3-Hydroxy steroid dehydrogenase activities of cortisone reductase 881–888
Gibbons, R. A. Derivation of an approximate function relating c and ξ for Schulz molecular-weight distributions in the meniscus-depletion condition in the equilibrium ultracentrifuge 653–655
Gibbons, R. A., Dixon, S. N. & Pocock, D. H. A new general method for the assessment of the molecular-weight distribution of polydisperse preparations. Its application to an intestinal epithelial glycoprotein and two dextran samples, and comparison with a monodisperse glycoprotein 649–653
Gillham, B. The mechanism of the reaction between glutathione and 1-menaphthyl sulphate catalysed by a glutathione *S*-transferase from rat liver 797–804
Giorgini, J. F. & De Lucca, F. L. Thermolability of 28S ribosomal ribonucleic acid from the liver of *Crotalus durissus terrificus* (Ophidia, Reptilia) 73–79
Glimcher, M. J. *see* Eyre, D. R. 393–403
Goad, L. J. *see* Smith, A. G. 443–455
Green, C. *see* Green, J. R. 63–71
Green, J. R., Edwards, P. A. & Green, C. Optical-rotatory-dispersion studies of compounds related to cholesterol in liposomes and the membranes of erythrocyte 'ghosts' 63–71
Griffin, M. *see* Halliwell, G. 587–594
Gurd, J. W., Evans, W. H. & Perkins, H. R. Immunochemical characterization of proteins from mouse liver plasma membranes 827–832
Gurd, J. W. *see also* Evans, W. H. 819–826
Gutfreund, H. *see* Bennett, N. G. 81–85

Hadjiolov, A. A. & Cox, R. A. A spectrometric study of the secondary structure of precursor ribosomal ribonucleic acid from Krebs ascites-tumour cells 349–351
Haigh, W. G., Förster, H. J., Biemann, K., Tattrie, N. H. & Colvin, J. R. Induction of orientation of bacterial cellulose microfibrils by a novel terpenoid from *Acetobacter xylinum* 145–149
Haigh, W. G. *see also* Förster, H. J. 133–143
Halliwell, B. Superoxide dismutase: a contaminant of bovine catalase 379–381
Halliwell, G. & Griffin, M. The nature and mode of action of the cellulolytic component C_1 of *Trichoderma koningii* on native cellulose 587–594
Hardingham, T. E. & Muir, H. Binding of oligosaccharides of hyaluronic acid to proteoglycans 905–908
Harrigan, P. J. & Trentham, D. R. Kinetic studies of the acylation of pig muscle D-glyceraldehyde 3-phosphate dehydrogenase by 1,3-diphosphoglycerate and of proton uptake and release in the overall enzyme mechanism 695–703
Harris, W. J. The occurrence of two types of synthesis of deoxyribonucleic acid during normal growth in *Bacillus subtilis* 315–325
Harrison, P. M. *see* Macara, I. G. 343–348, 785–789
Hawtrey, A. O. *see* Jones, P. A. 375–378
Heath, M. F. & Northcote, D. H. A hydroxyproline-containing glycopeptide released from the walls of sycamore tissue-culture cells by hydrazinolysis 327–329
Henderson, P. J. F. Steady-state enzyme kinetics with high-affinity substrates or inhibitors. A statistical treatment of dose–response curves 101–107

HEYDE, E., NAGABHUSHANAM, A. & VENKATARAMAN, S. Enzyme forms produced from aspartate transcarbamoylase by digestion with trypsin 125–132
HOLBROOK, J. J., COOKE, R. D. & KINGSTON, I. B. The amino acid sequence around the reactive cysteine residue in human plasma Factor XIII 901–903
HOLM, T. *see* BERRE, Å. G. 791–795
HOLMAN, G. D. *see* BARNETT, J. E. G. 539–541
HOOD, D. O. *see* EVANS, W. H. 819–826
HOPE, D. B. & WÄLTI, M. [2-(3-Nitrotyrosine)]oxytocin, a weakly active analogue of the hormone bound by neurophysin 241–243
HOPWOOD, J. J. & ROBINSON, H. C. The molecular-weight distribution of glycosaminoglycans 631–637
HOUSLAY, M. D. & TIPTON, K. F. The nature of the electrophoretically separable multiple forms of rat liver monoamine oxidase 173–186
HOUSLAY, M. D. & TIPTON, K. F. The reaction pathway of membrane-bound rat liver mitochondrial monoamine oxidase 735–750
HOY, T. G. *see* MACARA, I. G. 343–348, 785–789
HSU, R. Y. *see* TANG, C. L. 287–291
HUNT, E. & MORRIS, H. R. Collagen cross-links. A mass-spectrometric and ^{1}H- and ^{13}C-nuclear-magnetic-resonance study 833–843

ICKOWICZ, R. *see* CHANDA, S. K. 115–123
IKONNE, J. U. & ELLIS, R. B. *N*-Acetyl-β-D-hexosaminidase component A. Different forms in human tissues and fluids 457–462
IUB COMMISSION OF EDITORS OF BIOCHEMICAL JOURNALS. The citation of bibliographic references in biochemical journals. Recommendations (1971) 1–3
IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE (CBN). Amendments and corrections (1973) 9–10
IUPAC–IUB COMMISSION ON BIOCHEMICAL NOMENCLATURE (CBN). Nomenclature of iron–sulphur proteins. Recommendations (1973). 5–7

JARMAN, M. *see* FARMER, P. B. 203–213; LAWLEY, P. D. 193–201
JEFFERY, J. *see* GIBB, W. 881–888
JENNER, W. N. & ROSE, F. A. Studies on the sulphation of 3,4-dihydroxyphenylethylamine (dopamine) and related compounds by rat tissues 109–114
JERZYKOWSKI, T., WINTER, R. & MATUSZEWSKI, W. γδ-Dioxovalerate as a substrate for the glyoxalase enzyme system 713–719
JONES, I. G. *see* BENTLEY, P. 853–859
JONES, M. N., SKINNER, H. A., TIPPING, E. & WILKINSON, A. The interaction between ribonuclease A and surfactants 231–236
JONES, M. N. *see also* BLINKHORN, C. 547–549
JONES, P., PRUDHOE, K. & ROBSON, T. Oxidation of deuteroferrihaem by hydrogen peroxide 361–365
JONES, P., ROBSON, T. & BROWN, S. B. The catalase activity of ferrihaems 353–359
JONES, P. A., GEVERS, W. & HAWTREY, A. O. Evidence for the binding of the carcinogen 3-methylcholanthrene to both the purine and the pyrimidine bases of hamster fibroblast deoxyribonucleic acid 375–378
JORDAN, P. M. *see* ZAMAN, Z. 257–263

KEMP, B. E. *see* CARNEGIE, P. R. 569–572
KIDO, R. *see* NAKAMURA, J. 815–818
KIESSLING, K.-H. *see* TOTTMAR, S. O. C. 577–586
KINDERLERER, J., LEHMANN, H. & TIPTON, K. F. The thermal denaturation of human oxyhaemoglobins A, A_2, C and S. 805–814
KINGSTON, I. B. *see* HOLBROOK, J. J. 901–903
KITCHEN, B. J., MASTERS, C. J. & WINZOR, D. J. Effects of lipid removal on the molecular size and kinetic properties of bovine plasma arylesterase 93–99
KITCHEN, B. J. *see also* ANDREWS, P. 897–900
KODICEK, E. *see* EDELSTEIN, S. 417–426
KRISHNA MURTI, C. R. *see* MUKHTAR, H. 225–229

LASCELLES, J. *see* WHITE, F. H. 639–647
LAWLEY, P. D., ORR, D. J., SHAH, S. A., FARMER, P. B. & JARMAN, M. Reaction products from *N*-methyl-*N*-nitrosourea and deoxyribonucleic acid containing thymidine residues. Synthesis and identification of a new methylation product, O^4-methylthymidine 193–201
LAWSON, D. E. M. *see* EDELSTEIN, S. 417–426
LEAVER, C. J. Molecular integrity of chloroplast ribosomal ribonucleic acid 237–239
LEE, M.-L. *see* LIU, C.-C. 367–373
LEHMANN, H. *see* KINDERLERER, J. 805–814
LINDBERG, B. *see* MANNERS, D. J. 31–36
LIU, C.-C., CHUNG, C.-H. & LEE, M.-L. Amino acid activation in mammalian brain. Purification and characterization of tryptophan-activating enzyme from buffalo brain 367–373
LOMBARDINI, J. B., CHOU, T.-C. & TALALAY, P. Regulatory properties of adenosine triphosphate–L-methionine *S*-adenosyltransferase of rat liver 43–57
LOWE, D. J. *see* SMITH, B. E. 331–341

MACARA, I. G., HOY, T. G. & HARRISON, P. M. The formation of ferritin from apoferritin. Catalytic action of apoferritin 343–348
MACARA, I. G., HOY, T. G. & HARRISON, P. M. The formation of ferritin from apoferritin. Inhibition and metal ion-binding studies 785–789
MANNERS, D. J., MASSON, A. J. & PATTERSON, J. C. The structure of a β-(1→3)-D-glucan from yeast cell walls 19–30
MANNERS, D. J., MASSON, A. J., PATTERSON, J. C., BJÖRNDAL, H. & LINDBERG, B. The structure of a β-(1→6)-D-glucan from yeast cell walls 31–36
MANNERS, D. J. & WILSON, G. Studies on β-glucanases. Some properties of a bacterial endo-β-(1→3)-glucanase system 11–18
MASSON, A. J. *see* MANNERS, D. J. 19–30, 31–36
MASTERS, C. J. *see* KITCHEN, B. J. 93–99
MATUSZEWSKI, W. *see* JERZYKOWSKI, T. 713–719
MAYER, H. *see* WECKESSER, J. 293–297
MILSTEIN, C. P., CLARKE, J. B. & BRITTON, H. G. The reactive serine residue in phosphoglucomutase of *Micrococcus lysodeikticus* 551–553
MORRIS, H. R. *see* HUNT, E. 833–843
MUIR, H. *see* HARDINGHAM, T. E. 905–908
MUKHTAR, H., SAHIB, M. K. & KRISHNA MURTI, C. R. Effect of high- and low-protein diets on the regulation of rat liver tyrosine aminotransferase and tryptophan oxygenase activities by L-tyrosine and L-tryptophan 225–229

MUNDAY, K. A. *see* BARNETT, J. E. G. 539–541
MUNN, E. A. *see* CAMPOS-CAVIERES, M. 683–693
MURPHY, L. & ROSENBLOOM, J. Evidence that chick tendon procollagen must be denatured to serve as substrate for proline hydroxylase 249–251
MURRAY, A. W. *see* CARNEGIE, P. R. 569–572

NAGABHUSHANAM, A. *see* HEYDE, E. 125–132
NAKAMURA, J., NOGUCHI, T. & KIDO, R. Aromatic amino acid transaminase in rat intestine 815–818
NEUBERGER, A. *see* ALLEN, A. K. 307–314
NICHOLS, J. H. & BEZKOROVAINY, A. Isolation and characterization of a glycoprotein from human colostrum 875–880
NIEDUSZYNSKI, I. A. & ATKINS, E. D. T. Conformation of the mucopolysaccharides. X-Ray fibre diffraction of heparin 729–733
NIETO, M., PERKINS, H. R., FRÈRE, J.-M. & GHUYSEN, J.-M. Fluorescence and circular-dichroism studies on the *Streptomyces* R61 DD-carboxypeptidase–transpeptidase. Penicillin binding by the enzyme 493–505
NIETO, M. *see also* FRÈRE, J.-M. 463–468, 483–492
NIMMO, I. A. *see* ATKINS, G. L. 779–784
NOGUCHI, T. *see* NAKAMURA, J. 815–818
NORTHCOTE, D. H. *see* HEATH, M. F. 327–329

O'CARRA, P. *see* BARRY, S. 595–607
ORME-JOHNSON, W. H. *see* CAMPBELL, W. H. 617–630
ORR, D. J. *see* LAWLEY, P. D. 193–201
OSBORNE, D. J. *see* ROBERTS, B. E. 405–410
ØSTERUD, B. *see* BERRE, Å. G. 791–795

PANKO, E. *see* SIMPKINS, H. 299–305
PARKER, M. G. & WEITZMAN, P. D. J. The purification and regulatory properties of α-oxoglutarate dehydrogenase from *Acinetobacter lwoffi* 215–223
PATEY, C. A. H. & SHAW, G. Purification and properties of an enzyme duet, phosphoribosylaminoimidazole carboxylase and phosphoribosylaminoimidazolesuccinocarboxamide synthetase, involved in the biosynthesis of purine nucleotides *de novo* 543–545
PATTERSON, J. C. *see* MANNERS, D. J. 19–30, 31–36
PAUL, J. *see* YOUNG, B. D. 573–576
PAYNE, J. W. Polymerization of proteins with glutaraldehyde. Soluble molecular-weight markers 867–873
PAYNE, P. I., CORRY, M. J. & DYER, T. A. Nucleotide sequence analysis of the cytoplasmic 5S ribosomal ribonucleic acid from five species of flowering plants 845–851
PERKINS, H. R. *see* FRÈRE, J.-M. 463–468, 483–492; GURD, J. W. 827–832; NIETO, M. 493–505; WARD, J. B. 721–728
PERRIE, W. T., SMILLIE, L. B. & PERRY, S. V. A phosphorylated light-chain component of myosin from skeletal muscle 151–164
PERRY, S. V. *see* PERRIE, W. T. 151–164
PETTERSSON, H. *see* TOTTMAR, S. O. C. 577–586
PHILO, R. D. & SELWYN, M. J. Use of progress curves to investigate product inhibition in enzyme-catalysed reactions. Application to the soluble mitochondrial adenosine triphosphatase 525–530
POCOCK, D. H. *see* GIBBONS, R. A. 649–653
PRUDHOE, K. *see* JONES, P. 361–365
PRYDZ, H. *see* BERRE, Å. G. 791–795

RADHAKRISHNAN, A. N. *see* DAS, M. 609–615
RAMSHAW, J. A. M. *see* BAILEY, C. J. 889–891
RICHARDSON, N. E., BUTTRESS, N., FEINSTEIN, A., STRATIL, A. & SPOONER, R. L. Structural studies on individual components of bovine transferrin 87–92
RILEY, G. J. & TAYLOR, N. F. The interaction of 3-deoxy-3-fluoro-D-glucose with the hexose-transport system of the human erythrocyte 773–777
ROBERTS, B. E. & OSBORNE, D. J. Protein synthesis and loss of viability in rye embryos. The lability of transferase enzymes during senescence 405–410
ROBINS, S. P. & BAILEY, A. J. The chemistry of the collagen cross-links. The characterization of Fraction C, a possible artifact produced during the reduction of collagen fibres with borohydride 657–665
ROBINSON, H. C. *see* HOPWOOD, J. J. 631–637
ROBSON, T. *see* JONES, P. 353–359, 361–365
ROGERS, G. E. *see* STEINERT, P. M. 759–771
ROSE, F. A. *see* JENNER, W. N. 109–114
ROSE, G. *see* BAR-TANA, J. 411–416
ROSENBLOOM, J. *see* MURPHY, L. 249–251
RUBINSTEIN, I. *see* SMITH, A. G. 443–455

SAHIB, M. K. *see* MUKHTAR, H. 225–229
SALAHUDDIN, A. *see* ANSARI, A. A. 705–711
SCHLESINGER, H. M. *see* APPLEBAUM, S. W. 37–41
SELWYN, M. J. *see* PHILO, R. D. 525–530
SHAH, S. A. *see* LAWLEY, P. D. 193–201
SHAPIRO, B. *see* BAR-TANA, J. 411–416
SHAW, G. *see* PATEY, C. A. H. 543–545
SHIBAEV, V. N., DUCKWORTH, M., ARCHIBALD, A. R. & BADDILEY, J. The structure of a polymer containing galactosamine from walls of *Bacillus subtilis* 168 383–384
SIMPKINS, H., PANKO, E. & TAY, S. A comparative study of ribonuclease hydrolysis of rat brain-cortex and liver membrane-bound ribosomes 299–305
SKINNER, H. A. *see* JONES, M. N. 231–236
SLAUGHTER, J. C. Inhibition of 3-phosphoglycerate dehydrogenase from *Pisum sativum* by purine nucleotides 563–565
SMILLIE, L. B. *see* PERRIE, W. T. 151–164
SMITH, A. G., RUBINSTEIN, I. & GOAD, L. J. The sterols of the echinoderm *Asterias rubens* 443–455
SMITH, B. E., LOWE, D. J. & BRAY, R. C. Studies by electron paramagnetic resonance on the catalytic mechanism of nitrogenase of *Klebsiella pneumoniae* 331–341
SMITH, J. N. *see* CLARK, A. G. 385–392
SPEIR, T. W. *see* CLARK, A. G. 385–392
SPOONER, R. L. *see* RICHARDSON, N. E. 87–92
STEINERT, P. M. & ROGERS, G. E. Characterization of the proteins of guinea-pig hair and hair-follicle tissue 759–771
STEVEN, F. S. & THOMAS, H. Preparation of insoluble collagen from human cartilage 245–247
STEVENSON, K. J. *see* STEWART, G. R. 427–441
STEWART, G. R. & STEVENSON, K. J. The isolation and partial characterization of ribonuclease A from *Bison bison* 427–441
STRATIL, A. *see* RICHARDSON, N. E. 87–92

TALALAY, P. *see* LOMBARDINI, J. B. 43–57
TANG, C. L. & HSU, R. Y. Reduction of α-oxo carboxylic acids by pigeon liver 'malic' enzyme 287–291
TATTRIE, N. H. *see* FÖRSTER, H. J. 133–143; HAIGH, W. G. 145–149
TAY, S. *see* SIMPKINS, H. 299–305
TAYLOR, N. F. *see* RILEY, G. J. 773–777
THOMAS, H. *see* STEVEN, F. S. 245–247
THORNE, K. J. I. Incorporation of radioactive mevalonate into C_{50} and C_{55} prenols by *Streptococcus mutans* 567–568
TIPPING, E. *see* JONES, M. N. 231–236
TIPTON, K. F. *see* HOUSLAY, M. D. 173–186; 735–750; KINDERLERER, J. 805–814
TISDALE, M. J. *see* FARMER, P. B. 203–213
TOTTMAR, S. O. C., PETTERSSON, H. & KIESSLING, K.-H. The subcellular distribution and properties of aldehyde dehydrogenases in rat liver 577–586
TRENTHAM, D. R. *see* HARRIGAN, P. J. 695–703

VELDSEMA-CURRIE, R. D. Some components of the cholinergic system in the prawn *Palaemonetes varians* (Leach) 673–682
VENKATARAMAN, S. *see* HEYDE, E. 125–132
VORHABEN, J. E., WONG, L. & CAMPBELL, J. W. Assay for glutamine synthetase activity 893–896

WALEY, S. G. Refolding of triose phosphate isomerase 165–172
WÄLTI, M. *see* HOPE, D. B. 241–243
WARD, J. B. & PERKINS, H. R. The direction of glycan synthesis in a bacterial peptidoglycan 721–728
WATTS, D. C. *see* FOCANT, B. 265–276
WECKESSER, J., MAYER, H. & FROMME, I. *O*-Methyl sugars in lipopolysaccharides of Rhodospirillaceae. Identification of 3-*O*-methyl-D-mannose in *Rhodopseudomonas viridis* and of 4-*O*-methyl-D-xylose and 3-*O*-methyl-6-deoxy-D-talose in *Rhodopseudomonas palustris* respectively 293–297
WEITZMAN, P. D. J. *see* DANSON, M. J. 513–524; PARKER, M. G. 215–223
WHITE, F. H. & LASCELLES, J. The biosynthesis of plasmodial myosin during starvation of *Physarum polycephalum* 639–647
WILCOCKSON, J. The use of sodium perchlorate in deproteinization during the preparation of nucleic acids 559–561
WILKINSON, A. *see* JONES, M. N. 231–236
WILSON, G. *see* MANNERS, D. J. 11–18
WINKELMAN, L. *see* BULLARD, B. 277–286
WINTER, R. *see* JERZYKOWSKI, T. 713–719
WINZOR, D. J. *see* ANDREWS, P. 897–900; KITCHEN, B. J. 93–99
WONG, L. *see* VORHABEN, J. E. 893–896

YOUNG, B. D. & PAUL, J. Ribonucleic acid–deoxyribonucleic acid hybridization as a second-order reaction 573–576

ZAHNLEY, J. C. & DAVIS, J. G. Effect of high tyrosine content on the determination of tryptophan in protein by the acidic ninhydrin method. Application to chicken ovoinhibitor 59–61
ZAMAN, Z., JORDAN, P. M. & AKHTAR, M. Mechanism and stereochemistry of the 5-aminolaevulinatesynthetase reaction 257–263

Index of Subjects

Acer pseudoplanatus, *see* Sycamore

Acetaldehyde, subcellular distribution and properties of two rat liver aldehyde dehydrogenases catalysing the oxidation of (Tottmar, S. O. C., Pettersson, H. & Kiessling, K.-H.) 577–586

Acetobacter xylinium, induction of orientation of extracellular cellulose microfibrils by a novel C_{35} pentacyclic terpenoid from (Haigh, W. G., Förster, H. J., Biemann, K., Tattrie, N. H. & Colvin, J. R.) 145–149

Acetobacter xylinium, structure of novel C_{35} pentacyclic terpenoids from (Förster, H. J., Biemann, K., Haigh, W. G., Tattrie, N. H. & Colvin, J. R.) 133–143

Acetylcholine, regional distribution of acetylcholinesterase, cholinesterase, choline acetyltransferase and, in the tissues of the prawn (Veldsema-Currie, R. D.) 673–682

Acetylcholinesterase, regional distribution of acetylcholine, choline acetyltransferase, cholinesterase and, in the tissues of the prawn (Veldsema-Currie, R. D.) 673–682

N-Acetyl-*S*-crotonylcysteamine, cross-specificity in some mammalian liver and insect glutathione transferases with methyl parathion, 1-chloro-2,4-dinitrobenzene and, as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392

N-Acetyl-D-glucosamine, effect of, on the elution of the A protein component (galactosyltransferase) during affinity chromatography of the human milk lactose synthetase system on Sepharose–α-lactalbumin (Andrews, P., Kitchen, B. J. & Winzor, D. J.) 897–900

N-Acetylglucosamine residues, structure of a phosphorylated polysaccharide containing, from the cell wall of *Bacillus subtilis* 168 (Shibaev, V. N., Duckworth, M., Archibald, A. R. & Baddiley, J.) 383–384

N-Acetyl-β-D-hexosaminidase, different forms of component A of, from human liver and serum (Ikonne, J. U. & Ellis, R. B.) 457–462

Acinetobacter lwoffi, purification and regulatory properties of the 2-oxoglutarate dehydrogenase system from (Parker, M. G. & Weitzman, P. D. J.) 215–223

D-Acovenose (6-deoxy-3-*O*-methyl-D-talose), identification of 4-*O*-methyl-D-xylose and, as components of lipopolysaccharides from *Rhodopseudomonas palustris* (Weckesser, J., Mayer, H. & Fromme, I.) 293–297

Actin, preparation and properties of tropomyosin, troponin, myosin and, from water-bug and dung-beetle flight muscle (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286

Adenine nucleotides, role of, in the regulation of the activity of the 2-oxoglutarate dehydrogenase system of *Acinetobacter lwoffi* (Parker, M. G. & Weitzman, P. D. J.) 215–223

Adenosine 3′-phosphate 5′-sulphatophosphate, sulphation of 3,4-dihydroxyphenethylamine from, by rat tissues (Jenner, W. N. & Rose, F. A.) 109–114

Adenosine triphosphatase, activity of, of plasmodial myosin biosynthesized during starvation of *Physarum polycephalum* (White, F. H. & Lascelles, J.) 639–647

Adenosine triphosphatase, soluble, mitochondrial, heart, ox, use of progress curves to investigate product inhibition of the activity of (Philo, R. D. & Selwyn, M. J.) 525–530

Adenosine triphosphate, studies by electron paramagnetic resonance on the interaction of *Klebsiella pneumoniae* nitrogenase with (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341

Albumin, serum, ox, polymerization of, and other proteins with glutaraldehyde to produce soluble protein oligomers suitable for use as molecular-weight markers (Payne, J. W.) 867–873

Alcaligenes sp. N.C.I.B. 11015, amino acid sequence of cytochrome *c′* from (Ambler, R. P.) 751–758

Aldehyde dehydrogenases, two, subcellular distribution and properties of, of rat liver (Tottmar, S. O. C., Pettersson, H. & Kiessling, K.-H.) 577–586

Alkaline phosphatase, *see* Phosphatase, alkaline

Alkaline phosphodiesterase, *see* Phosphodiesterase, alkaline

O-Alkylation, observations on, during the reaction of 2′-deoxyguanosine and thymidine with diazoalkanes (Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J.) 203–213

Amino acid (aromatic) aminotransferases, partial purification and characterization of, from rat small intestine (Nakamura, J., Noguchi, T. & Kido, R.) 815–818

Amino acid composition of human serum coagulation Factor X*a* (Berre, Å. G., Østerud, B., Christensen, T. B., Holm, T. & Prydz, H.) 791–795

Amino acid composition of *Streptomyces* R 61, exocellular DD-carboxypeptidase–peptidyltransferase (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 463–468

Amino acid compositions, comparison of, and other properties of four cytochromes *c* from *Azotobacter vinelandii* (Campbell, W. H., Orme-Johnson, W. H. & Burris, R. H.) 617–630

Amino acid compositions of individual components of ox transferrins (Richardson, N. E., Buttress, N., Feinstein, A., Stratil, A. & Spooner, R. L.) 87–92

Amino acid compositions of the proteins of guinea-pig hair and hair-follicle tissue (Steinert, P. M. & Rogers, G. E.) 759–771

Amino acid compositions of total histone in rat liver nuclei isolated by different methods (Chanda, S. K., Ickowicz, R. & Dounce, A. L.) 115–123

Amino acid residues, *N*-terminal, qualitative determination of, of peptides and proteins with cobalt(III) chelates (Bentley, K. W. & Creaser, E. H.) 507–511

Amino acid sequence around the reactive cysteine residue in human coagulation Factor XIII (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903

Amino acid sequence of cytochrome *c′* from *Alcaligenes* sp. N.C.I.B. 11015 (Ambler, R. P.) 751–758

Amino acids, corrections to recommendations for symbols for derivatives of, and peptides [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 9–10

1-Aminocyclopentanecarboxylic acid, effect of, on the activity of rat liver methionine *S*-adenosyltransferase (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57

L-2-Aminohex-4-ynoic acid, effect of, on the activity of rat liver methionine *S*-adenosyltransferase (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57
5-Aminolaevulinate synthetase, *Rhodopseudomonas spheroides* N.C.I.B. 8253, mechanism and stereochemistry of the reaction catalysed by (Zaman, Z., Jordan, P. M. & Akhtar, M.) 257–263
Aminopterin, statistical treatment of dose–response curves in analysis of the steady-state kinetics of the inhibition by, of the activity of tetrahydrofolate dehydrogenase (Henderson, P. J. F.) 101–107
Androgens, behaviour of, as substrates for cortisone reductase (Gibb, W. & Jeffery, J.) 881–888
Anions, comparison of the effects of, on the properties and mechanisms of action of ox smooth-muscle creatine kinase and rabbit skeletal-muscle pyruvate kinase (Focant, B. & Watts, D. C.) 265–276
Anti-ovalbumin, rabbit, purification and properties of (Ansari, A. A. & Salahuddin, A.) 705–711
Apoferritin, inhibition by zinc ions of the uptake of iron by (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 785–789
Apoferritin, spleen, horse, catalytic action of apoferritin in the formation of ferritin from (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 343–348
Arabinose residues, identification of, as the principal sugar component of the carbohydrate moiety of potato-tuber lectin (Allen, A. K. & Neuberger, A.) 307–314
Arylesterase, plasma, ox, effects of the removal of lipid on the molecular size and kinetic properties of (Kitchen, B. J., Masters, C. J. & Winzor, D. J.) 93–99
Asparaginase, *Erwinia carotovora*, polymerization of, and other proteins with glutaraldehyde to produce soluble protein oligomers suitable for use as molecular-weight markers (Payne, J. W.) 867–873
Aspartate aminotransferase, cytoplasmic, purification and properties of from sheep liver (Campos-Cavieres, M. & Munn, E. A.) 683–693
Aspartate carbamoyltransferase, *Escherichia coli* K12, enzyme forms produced from, by digestion with trypsin (Heyde, E., Nagabhushanam, A. & Venkataraman, S.) 125–132
Asterias rubens, *see* Starfish
Azotobacter vinelandii, comparison of the physical and chemical properties of four cytochromes *c* from (Campbell, W. H., Orme-Johnson, W. H. & Burris, R. H.) 617–630
Azotobacter vinelandii, statistical treatment of dose–response curves in analysis of the steady-state kinetics of the inhibition by hydroxyquinoline *N*-oxide of respiration by particles from (Henderson, P. J. F.) 101–107

Bacillus licheniformis, direction of biosynthesis of the glycan chain of a peptidoglycan formed by a cell-free preparation of membranes from (Ward, J. B. & Perkins, H. R.) 721–728
Bacillus subtilis, occurrence of 'repair' and 'replicative' types of biosynthesis of deoxyribonucleic acid in, during normal growth (Harris, W. J.) 315–325
Bacillus subtilis 168, structure of a phosphorylated polysaccharide containing *N*-acetylglucosamine residues from the cell wall of (Shibaev, V. N., Duckworth, M., Archibald, A. R. & Baddiley, J.) 383–384
Bean, broad (*Vicia faba*), comparison of the nucleotide sequences of the cytoplasmic 5S ribosomal ribonucleic acids from the seeds of, and other higher plants (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851
Bean, broad (*Vicia faba*), molecular integrity of chloroplast ribosomal ribonucleic acids (Leaver, C. J.) 237–239
Bean, dwarf (*Phaseolus vulgaris*), comparison of the nucleotide sequences of the cytoplasmic 5S ribosomal ribonucleic acids from the seeds of, and other higher plants (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851
Bibliographic references, citation of, in biochemical journals (IUB Commission of Editors of Biochemical Journals) 1–3
Bile pigments, oxidation of deuteroferrihaem by hydrogen peroxide to (Jones, P., Prudhoe, K. & Robson, T.) 361–365
Bison (*Bison bison*), isolation and partial characterization of ribonuclease A from pancreas of (Stewart, G. R. & Stevenson, K. J.) 427–441
Bone, chicken, isolation of cross-linked peptides from collagen from (Eyre, D. R. & Glimcher, M. J.) 393–403
Borohydride, alkaline, cleavage by, of a glycoprotein isolated from human colostrum (Nichols, J. H. & Bezkorovainy, A.) 875–880
Borohydride, characterization of Fraction C (histidinohydroxymerodesmosine) as an artifact produced during the reduction of calf skin collagen with (Robins, S. P. & Bailey, A. J.) 657–665
Brain cortex, rat, comparative study of the hydrolysis by ribonuclease of ribosomal ribonucleic acid in membrane-bound ribosomes from rat liver and (Simpkins, H., Panko, E. & Tay, S.) 299–305
Brain, human and rat, phosphorylation of myelin basic protein from, by an adenosine 3′:5′-cyclic monophosphate-dependent protein kinase (Carnegie, P. R., Kemp, B. E., Dunkley, P. R. & Murray, A. W.) 569–572
Brain, rat, sulphation of 3,4-dihydroxyphenethylamine and related compounds by, and other tissues (Jenner, W. N. & Rose, F. A.) 109–114
Brain, water-buffalo, purification and characterization of tryptophyl-transfer-ribonucleic acid synthetase from (Liu, C.-C., Chung, C.-H. & Lee, M.-L.) 367–373
Broad bean, *see* Bean, broad
Bubalus buffelus, *see* Water buffalo

DD-Carboxypeptidase–peptidyltransferase, exocellular, *Streptomyces* R61, fluorescence and circular-dichroism studies on the binding of penicillin to (Nieto, M., Perkins, H. R., Frère, J.-M. & Ghuysen, J.-M.) 493–505
DD-Carboxypeptidase–peptidyltransferase, exocellular, *Streptomyces* R61, kinetics of concomitant transfer and hydrolysis reactions catalysed by (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 483–492
DD-Carboxypeptidase–peptidyltransferase, exocellular, *Streptomyces* R61, molecular weight and amino acid composition of (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 463–468
Cartilage, human, method for the preparation of insoluble collagen from (Steven, F. S. & Thomas, H.) 245–247

Catalase, activity of, of ferrihaems (Jones, P., Robson, T. & Brown, S. B.) 353–359
Catalase, liver, ox, identification of superoxide dismutase as a contaminant of (Halliwell, B.) 379–381
Catecholamines, sulphation of, by rat tissues (Jenner, W. N. & Rose, F. A.) 109–114
Cell wall, *Bacillus subtilis* 168, structure of a phosphorylated polysaccharide containing *N*-acetylglucosamine residues from (Shibaev, V. N., Duckworth, M., Archibald, A. R. & Baddiley, J.) 383–384
Cell wall, structure of a β-(1→3)-D-glucan obtained as a major component of the glucans of, of *Saccharomyces cerevisiae* (Manners, D. J., Masson, A. J. & Patterson, J. C.) 19–30
Cell wall, structure of a β-(1→6)-D-glucan obtained as a minor component of the glucans of, of *Saccharomyces cerevisiae* (Manners, D. J., Masson, A. J., Patterson, J. C., Bjorndal, H. & Lindberg, B.) 31–36
Cell walls, structure of a hydroxyproline-containing glycopeptide released from, of sycamore tissue-culture cells by hydrazinolysis (Heath, M. F. & Northcote, D. H.) 327–329
Cells, ascites-tumour, Krebs, spectrometric study of the secondary structure of precursor ribonucleic acid from (Hadjiolov, A. A. & Cox, R. A.) 349–351
Cells, fibroblast, hamster, cultured, evidence for the binding of 3-methylcholanthrene to both purine and pyrimidine bases of deoxyribonucleic acid of (Jones, P. A., Gevers, W. & Hawtrey, A. O.) 375–378
Cellulase complex, *Trichoderma koningii*, nature and mode of action of the component C_1 of, on native cellulose (Halliwell, G & Griffin, M.) 587–594
Cellulose, induction of orientation of extracellular microfibrils of, by a novel C_{35} pentacyclic terpenoid from *Acetobacter xylinum* (Haigh, W. G., Förster, H. J., Biemann, K., Tattrie, N. H. & Colvin, J. R.) 145–149
Cellulose, native, mode of action of the cellulolytic component C_1 of *Trichoderma koningii* on (Halliwell, G. & Griffin, M.) 587–594
Cerebral cortex, rat, comparative study of the hydrolysis by ribonuclease of ribosomal ribonucleic acid in membrane-bound ribosomes from rat liver and (Simpkins, H., Panko, E. & Tay, S.) 299–305
Cetyltrimethylammonium bromide, binding of, to insulin, zinc–insulin and iso-insulin (Birdi, K. S.) 253–255
Chaotropic agents, effect of, on the electrophoretically separable multiple forms of rat liver mitochondrial monoamine oxidase (Houslay, M. D. & Tipton, K. F.) 173–186
Chick, partial purification and characterization of the cholecalciferol- and 25-hydroxycholecalciferol-binding proteins from serum of (Edelstein, S., Lawson, D. E. M. & Kodicek, E.) 417–426
Chicken, isolation of cross-linked peptides from collagen from bone of (Eyre, D. R. & Glimcher, M. J.) 393–403
Chicken, purification and properties of phosphoribosylaminoimidazole carboxylase–phosphoribosylaminoimidazolesuccinocarboxamide synthetase from liver of (Patey, C. A. H. & Shaw, G.) 543–545
1-Chloro-2,4-dinitrobenzene, cross-specificity in some mammalian liver and insect glutathione transferases with methyl parathion, *N*-acetyl-*S*-crotonylcysteamine and, as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392
Chloroplasts, broad-bean, molecular integrity of ribosomal ribonucleic acids of (Leaver, C. J.) 237–239
Cholecalciferol, partial purification and characterization of the proteins binding 25-hydroxycholecalciferol and, from chick serum (Edelstein, S., Lawson, D. E. M. & Kodicek, E.) 417–426
5α-Cholest-7-en-3β-ol, identification of, and other sterols in the starfish *Asterias rubens* (Smith, A. G., Rubinstein, I. & Goad, L. J.) 443–455
Cholesterol, optical-rotatory-dispersion studies of compounds related to, in liposomes and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Choline acetyltransferase, regional distribution of acetylcholine, acetylcholinesterase, cholinesterase and, in the tissues of the prawn (Veldsema-Currie, R. D.) 673–682
Cholinesterase, regional distribution of acetylcholine, choline acetyltransferase, acetylcholinesterase and, in the tissues of the prawn (Veldsema-Currie, R. D.) 673–682
Chondroitin sulphate, molecular-weight distribution of, isolated from ox nasal septum and intervertebral disc (Hopwood, J. J. & Robinson, H. C.) 631–637
Citrate synthase, *Escherichia coli* K12, functional groups involved in the activity and regulation of (Danson, M. J. & Weitzman, P. D. J.) 513–524
Clotting Factor X*a*, characteristics of, purified from human serum (Berre, Å. G., Østerud, B., Christensen, T. B., Holm, T. & Prydz, H.) 791–795
Clotting Factor XIII, human, amino acid sequence around the reactive cysteine residue in (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903
Coagulation Factor X*a*, characteristics of, purified from human serum (Berre, Å. G., Østerud, B., Christensen, T. B., Holm, T. & Prydz, H.) 791–795
Coagulation Factor XIII, human, amino acid sequence around the reactive cysteine residue in (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903
Cobalt(III) chelates, qualitative determination of *N*-terminal amino acid residues of peptides and proteins with (Bentley, K. W. & Creaser, E. H.) 507–511
Cockroach (*Periplaneta americana*), cross-specificity in some glutathione transferases from mammalian liver and from, and other insects with methyl parathion, 1-chloro-2,4-dinitrobenzene and *N*-acetyl-*S*-crotonylcysteamine as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392
Collagen, bone, chicken, isolation of cross-linked peptides from (Eyre, D. R. & Glimcher, M. J.) 393–403
Collagen, insoluble, method for the preparation of, from human cartilage (Steven, F. S. & Thomas, H.) 245–247
Collagen, pro-, tendon, chick, evidence that, must be denatured to serve as a substrate for proline hydroxylase (Murphy, L. & Rosenbloom, J.) 249–251
Collagen, skin, calf, characterization of Fraction C (histidino-hydroxymerodesmosine) as an artifact produced during the reduction of, with borohydride (Robins, S. P. & Bailey, A. J.) 657–665
Collagen, skin, cow, mass-spectrometric and ^{1}H- and ^{13}C-nuclear-magnetic-resonance study of a potential cross-link of (Hunt, E. & Morris, H. R.) 833–843

Colostrum, human, isolation and characterization of a glycoprotein from (Nichols, J. H. & Bezkorovainy, A.) 875–880

Computer, use of, in the statistical treatment of dose–response curves in analyses of steady-state enzyme kinetics with high-affinity substrates or inhibitors (Henderson, P. J. F.) 101–107

Cortisone reductase, 3-hydroxy steroid activities of (Gibb, W. & Jeffery, J.) 881–888

Costelytra zealandica, *see* Grass grub

Creatine kinase, smooth-muscle, ox, comparison of the effects of anions on the properties and mechanisms of action of rabbit skeletal-muscle pyruvate kinase and (Focant, B. & Watts, D. C.) 265–276

Crotalus durissus terrificus, *see* Rattlesnake

S-Crotonyl-*N*-acetylcysteamine, *see N*-Acetyl-*S*-crotonylcysteamine

Cyclic 4-*trans*-hydroxy-L-prolyl-4-*trans*-hydroxy-L-proline residues, identification of, as the peptide component of a glycopeptide released from the cell walls of sycamore tissue-culture cells by hydrazinolysis (Heath, M. F. & Northcote, D. H.) 327–329

Cycloleucine (1-aminocyclopentanecarboxylic acid), effect of, on the activity of rat liver methionine *S*-adenosyltransferase (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57

Cysteine residue, reactive, amino acid sequence around, in human coagulation Factor XIII (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903

Cysteine residues, evidence for the involvement of, in the activity and regulation of *Escherichia coli* K12 citrate synthase (Danson, M. J. & Weitzman, P. D. J.) 513–524

Cysteine residues, two, attachment of the haem group to, in *Alcaligenes* sp. N.C.I.B. 11015 cytochrome *c'* (Ambler, R. P.) 751–758

Cytochrome *c'*, *Alcaligenes* sp. N.C.I.B. 11015, amino acid sequence of (Ambler, R. P.) 751–758

Cytochromes *c*, four, comparison of the physical and chemical properties of, from *Azotobacter vinelandii* (Campbell, W. H., Orme-Johnson, W. H. & Burris, R. H.) 617–630

Cytophaga sp. N.C.I.B. 9497, *see Flavobacterium* sp. N.C.I.B. 9497

Cytosol, liver, sheep, purification and properties of aspartate aminotransferase from (Campos-Cavieres, M. & Munn, E. A.) 683–693

Dehydrogenases, nicotinamide–adenine dinucleotide-linked, affinity chromatography of, on immobilized derivatives of oxidized nicotinamide–adenine dinucleotide (Barry, S. & O'Carra, P.) 595–607

3-Deoxy-3-fluoro-D-glucose, interaction of, with the hexose-transport system of the human erythrocyte membrane (Riley, G. J. & Taylor, N. F.) 773–777

2′-Deoxyguanosine, alkylation of thymidine and, with diazoalkanes (Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J.) 203–213

6-Deoxy-3-*O*-methyl-D-talose, identification of 4-*O*-methyl-D-xylose and, as components of lipopolysaccharides from *Rhodopseudomonas palustris* (Weckesser, J., Mayer, H. & Fromme, I.) 293–297

Deoxyribonucleic acid, evidence for the binding of 3-methylcholanthrene to both purine and pyrimidine bases of, of cultured hamster fibroblast cells (Jones, P. A., Gevers, W. & Hawtrey, A. O.) 375–378

Deoxyribonucleic acid, high ratios of total histone to, in rat liver nuclei isolated by different methods (Chanda, S. K., Ickowicz, R. & Dounce, A. L.) 115–123

Deoxyribonucleic acid, hybridization of ribonucleic acid with, as a second-order reaction (Young, B. D. & Paul, J.) 573–576

Deoxyribonucleic acid, identification of 4-*O*-methylthymidine as a reaction product after the enzymic degradation of, that had been treated with *N*-methyl-*N*-nitrosourea (Lawley, P. D., Orr, D. J., Shah, S. A., Famer, P. B. & Jarman, M.) 193–201

Deoxyribonucleic acid, occurrence of 'repair' and 'replicative' types of biosynthesis of, in *Bacillus subtilis* during normal growth (Harris, W. J.) 315–325

Deoxyribonucleic acid, use of sodium perchlorate in deproteinization during the preparation of (Wilcockson, J.) 559–561

Deuteroferrihaem, oxidation of, by hydrogen peroxide (Jones, P., Prudhoe, K. & Robson, T.) 361–365

Dextran, application of a new general method for the assessment of the molecular-weight distribution of polydisperse preparations to pig small-intestinal epithelial glycoprotein and two samples of (Gibbons, R. A., Dixon, S. N. & Pocock, D. H.) 649–653

Diazoalkanes, alkylation of 2′-deoxyguanosine and thymidine with (Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J.) 203–213

Diazomethane, alkylation of 2′-deoxyguanosine and thymidine with, and other diazoalkanes (Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J.) 203–213

Diets, high-protein and low-protein, effects of, on the regulation by L-tyrosine and L-tryptophan of the activities of tyrosine aminotransferase and tryptophan oxygenase respectively in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229

Dihydrofolate reductase, statistical treatment of dose–response curves in analysis of the steady-state kinetics of the inhibition by aminopterin of the activity of (Henderson, P. J. F.) 101–107

3,4-Dihydroxyphenethylamine (dopamine), sulphation of, and related compounds by rat tissues (Jenner, W. N. & Rose, F. A.) 109–114

Dimethyl *p*-nitrophenyl phosphorothionate (methyl parathion), cross-specificity in some mammalian liver and insect glutathione transferases with 1-chloro-2,4-dinitrobenzene, *N*-acetyl-*S*-crotonylcysteamine and, as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392

4,5-Dioxovalerate, formation of D-2-hydroxyglutarate from, catalysed by the glyoxylase system (Jerzykowski, T., Winter, R. & Matuszewski, W.) 713–719

Dipeptidase, 'master', versatile, purification and properties of, possessing glycyl-L-leucine hydrolase activity from monkey small-intestinal mucosa (Das, M. & Radhakrishnan, A. N.) 609–615

1,3-Diphosphoglycerate, kinetic studies of the acylation by, of pig skeletal-muscle D-glyceraldehyde 3-phosphate dehydrogenase (Harrigan, P. J. & Trentham, D. R.) 695–703

Dodecyl sulphate, sodium, interaction between ribonuclease A and (Jones, M. N., Skinner, H. A., Tipping, E. & Wilkinson, A.) 231–236
Dodecyltrimethylammonium bromide, lack of interaction between ribonuclease A and (Jones, M. N., Skinner, H. A., Tipping, E. & Wilkinson, A.) 231–236
Dopamine (3,4-dihydroxyphenethylamine), sulphation of, and related compounds by rat tissues (Jenner, W. N. & Rose, F. A.) 109–114
Dung beetle (*Heliocopris japetus*), preparation and properties of the contractile and regulatory proteins from flight muscle of (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286

Electrons, studies by electron paramagnetic resonance on the transfer of, in *Klebsiella pneumoniae* nitrogenase (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341
Endo-β-(1→3)-glucanase system, properties of, obtained by fractionation of a commercial preparation of enzyme from *Flavobacterium* (*Cytophaga*) sp. N.C.I.B. 9497 (Manners, D. J. & Wilson, G.) 11–18
Endoplasmic reticulum, *see* Reticulum, endoplasmic
Enzymes, mechanisms involving concomitant transfer and hydrolysis reactions catalysed by (Frère, J.-M.) 469–481
Enzymes, reliability of Michaelis constants and maximum velocities of reactions catalysed by, estimated by using the integrated Michaelis–Menten equation (Atkins, G. L. & Nimmo, I. A.) 779–784
Enzymes, statistical treatment of dose–response curves in analyses of steady-state kinetics of, with high-affinity substrates or inhibitors (Henderson, P. J. F.) 101–107
Enzymes, steady-state kinetics of isotope exchange for one substrate–one product reactions catalysed by (Darvey, I. G.) 861–866
Enzymes, use of progress curves to investigate product inhibition in reactions catalysed by (Philo, R. D. & Selwyn, M. J.) 525–530
Epithelium, small-intestinal, pig, application of a new general method for the assessment of the molecular-weight distribution of polydisperse preparations to glycoprotein isolated from (Gibbons, R. A., Dixon, S. N. & Pocock, D. H.) 649–653
Erythrocytes, human, explanation of the asymmetric binding of sugars to the sugar-transport systems of (Barnett, J. E. G., Holman, G. D. & Munday, K. A.) 539–541
Erythrocytes, human, interaction of 3-deoxy-3-fluoro-D-glucose with the hexose-transport system of the membrane of (Riley, G. J. & Taylor, N. F.) 773–777
Erythrocytes, human, optical-rotatory-dispersion studies of compounds related to cholesterol in liposomes and the membranes of (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Escherichia coli K12, enzyme forms produced from aspartate carbamoyltransferase from, by digestion with trypsin (Heyde, E., Nagabhushanam, A. & Venkataraman, S.) 125–132
Escherichia coli K12, functional groups involved in the activity and regulation of citrate synthase of (Danson, M. J. & Weitzman, P. D. J.) 513–524

Ethanol, effects of the chronic administration of phenobarbitone and its subsequent withdrawal on the activity of tryptophan pyrrolase in rat liver and their resemblance to those of (Badawy, A. A.-B. & Evans, M.) 555–557
N-Ethylmaleimide, modification of pigeon liver 'malic' enzyme by reaction with (Tang, C. L. & Hsu, R. Y.) 287–291

Factor X*a*, coagulation, characteristics of, purified from human serum (Berre, Å. G., Østerud, B., Christensen, T. B., Holm, T. & Prydz, H.) 791–795
Factor XIII, coagulation, human, amino acid sequence around the reactive cysteine residue in (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903
Fat-body, locust, properties and regulation of the activity of glycogen phosphorylase of (Applebaum, S. W. & Schlesinger, H. M.) 37–41
Fatty acyl (long-chain)-coenzyme A synthetase, microsomal, liver, rat, isolation of an enzyme-bound intermediate of the overall reaction catalysed by (Bar-Tana, J., Rose, G. & Shapiro, B.) 411–416
Ferrihaem, deutero-, oxidation of, by hydrogen peroxide (Jones, P., Prudhoe, K. & Robson, T.) 361–365
Ferrihaems, catalase activity of (Jones, P., Robson, T. & Brown, S. B.) 353–359
Ferritin, inhibition by zinc ions of the formation of, from apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 785–789
Ferritin, spleen, horse, catalytic action of apoferritin in the formation of, from apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 343–348
Ferrous iron, catalytic action of apoferritin in the uptake of, by horse spleen apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 343–348
Fibroblast cells, hamster, cultured, evidence for the binding of 3-methylcholanthrene to both purine and pyrimidine bases of deoxyribonucleic acid of (Jones, P. A., Gevers, W. & Hawtrey, A. O.) 375–378
Flavobacterium (*Cytophaga*) sp. N.C.I.B. 9497, properties of an endo-β-(1→3)-glucanase system obtained by fractionation of a commercial preparation of enzyme from (Manners, D. J. & Wilson, G.) 11–18
Flight muscle, *see* Muscle, flight

Galactosyltransferase (A protein) component, effects of *N*-acetyl-D-glucosamine and D-glucose on the elution of, during affinity chromatography of the human milk lactose synthetase system on Sepharose–α-lactalbumin (Andrews, P., Kitchen, B. J. & Winzor, D. J.) 897–900
β-1,4-Glucan cellobiohydrolase, characterization of the cellulolytic component C_1 of *Trichoderma koningii* as (Halliwell, G. & Griffin, M.) 587–594
β-(1→3)-D-Glucan, structure of, obtained as a major component of the glucans of the cell wall of *Saccharomyces cerevisiae* (Manners, D. J., Masson, A. J. & Patterson, J. C.) 19–30
β-(1→6)-D-Glucan, structure of, obtained as a minor component of the glucans of the cell wall of *Saccharomyces cerevisiae* (Manners, D. J., Masson, A. J., Patterson, J. C., Björndal, H. & Lindberg, B.) 31–36

β-(1→3)-Glucanase system, endo-, properties of, obtained by fractionation of a commercial preparation of enzyme from *Flavobacterium* (*Cytophaga*) sp. N.C.I.B. 9497 (Manners, D. J. & Wilson, G.) 11–18
D-Glucose, effect of, on the elution of the A protein component (galactosyltransferase) during affinity chromatography of the human milk lactose synthetase system on Sepharose–α-lactalbumin (Andrews, P., Kitchen, B. J. & Winzor, D. J.) 897–900
D-Glucose, kinetic parameters of the transport of, and other sugars across the human erythrocyte membrane (Riley, G. J. & Taylor, N. F.) 773–777
Glucose 6-phosphate, role of, in the regulation of the activity of glycogen phosphorylase in locust fat-body (Applebaum, S. W. & Schlesinger, H. M.) 37–41
Glutamine synthetase, interference by pyruvate in the assay of the activity of, in homogenates of rat, chicken and catfish liver and of snail hepatopancreas (Vorhaben, J. E., Wong, L. & Campbell, J. W.) 893–896
Glutaraldehyde, polymerization of proteins with, to produce soluble protein oligomers suitable for use as molecular-weight markers (Payne, J. W.) 867–873
Glutathione *S*-arylalkyltransferase, liver, rat, mechanism of the reaction between reduced glutathione and naphth-1-ylmethyl sulphate catalysed by (Gillham, B.) 797–804
Glutathione, reduced, mechanism of the reaction between, and naphth-1-ylmethyl sulphate catalysed by a rat liver glutathione *S*-arylalkyltransferase (Gillham, B.) 797–804
Glutathione, reduced, role of, in the formation of D-2-hydroxyglutarate from 4,5-dioxovalerate catalysed by the glyoxalase system (Jerzykowski, T., Winter, R. & Matuszewski, W.) 713–719
Glutathione (reduced) transferases, mammalian liver and insect, cross-specificity in, with methyl parathion, 1-chloro-2,4-dinitrobenzene and *N*-acetyl-*S*-crotonylcysteamine as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392
Glycan chain, direction of biosynthesis of, of a peptidoglycan formed by a cell-free preparation of *Bacillus licheniformis* membranes (Ward, J. B. & Perkins, H. R.) 721–728
D-Glyceraldehyde 3-phosphate dehydrogenase, affinity chromatography of, and other nicotinamide–adenine dinucleotide-linked dehydrogenases on immobilized derivatives of oxidized nicotinamide–adenine dinucleotide (Barry, S. & O'Carra, P.) 595–607
D-Glyceraldehyde 3-phosphate dehydrogenase, skeletal-muscle, pig, kinetic studies of the acylation by 1,3-diphosphoglycerate of, and of the uptake and release of protons in the overall enzyme mechanism (Harrigan, P. J. & Trentham, D. R.) 695–703
L-Glycerol 3-phosphate dehydrogenase, purification and properties of, from rabbit skeletal muscle (Bentley, P., Dickinson, L. F. M. & Jones, I. G.) 853–859
Glycine, stereospecifically ^{3}H-labelled, use of, in investigation of the mechanism and stereochemistry of the reaction catalysed by *Rhodopseudomonas spheroides* N.C.I.B. 8253 5-aminolaevulinate synthetase (Zaman, Z., Jordan, P. M. & Akhtar, M.) 257–263
Glycogen phosphorylase, fat-body, locust, properties and regulation of the activity of (Applebaum, S. W. & Schlesinger, H. M.) 37–41
Glycopeptide, hydroxyproline-containing, structure of, released from the cell walls of sycamore tissue-culture cells by hydrazinolysis (Heath, M. F. & Northcote, D. H.) 327–329
Glycoprotein, epithelial, small-intestinal, pig, application of a new general method for the assessment of the molecular-weight distribution of polydisperse preparations to (Gibbons, R. A., Dixon, S. N. & Pocock, D. H.) 649–653
Glycoprotein, isolation and characterization of, from human colostrum (Nichols, J. H. & Bezkorovainy, A.) 875–880
Glycoprotein (lectin), hydroxyproline-containing, purification and properties of, from potato tubers (Allen, A. K. & Neuberger, A.) 307–314
Glycoprotein, purification and properties of, catalysing the hydrolysis of nucleotide pyrophosphate and phosphodiester bonds from mouse liver plasma membrane (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826
Glycoproteins, immunochemical characterization of proteins and, from mouse liver plasma membrane (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 827–832
Glycosaminoglycans, molecular-weight distribution of, isolated from ox nasal septum and intervertebral disc (Hopwood, J. J. & Robinson, H. C.) 631–637
Glycosaminoglycans, various, activity of ox lung heparan sulphate sulphotransferase towards (Foley, T. & Baker, J. R.) 187–192
Glycyl-L-leucine hydrolase, purification and properties of a versatile 'master' dipeptidase possessing activity of, from monkey small-intestinal mucosa (Das, M. & Radhakrishnan, A. N.) 609–615
Glyoxalase system, formation of D-2-hydroxyglutarate from 4,5-dioxovalerate catalysed by (Jerzykowski, T., Winter, R. & Matuszewski, W.) 713–719
Grass grub (*Costelytra zealandica*), cross-specificity in some glutathione transferases from mammalian liver and from, and other insects with methyl parathion, 1-chloro-2,4-dinitrobenzene and *N*-acetyl-*S*-crotonylcysteamine as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392
Guanidinium chloride, refolding and reactivation of rabbit skeletal-muscle triose phosphate isomerase after treatment with (Waley, S. G.) 165–172

Haem, ferri-, deutero-, oxidation of, by hydrogen peroxide (Jones, P., Prudhoe, K. & Robson, T.) 361–365
Haem group, attachment of, to two cysteine residues in *Alcaligenes* sp. N.C.I.B. 11015 cytochrome *c'* (Ambler, R. P.) 751–758
Haemoglobin, ox, polymerization of, and other proteins with glutaraldehyde to produce soluble protein oligomers for use as molecular-weight markers (Payne, J. W.) 867–873
Haemoglobins A, A_2, C and S, oxy-, human, thermal denaturation of (Kinderlerer, J., Lehmann, H. & Tipton, K. F.) 805–814
Haems, ferri-, catalase activity of (Jones, P., Robson, T. & Brown, S. B.) 353–359

Hair, guinea-pig, characterization of the proteins of, and hair-follicle tissue (Steinert, P. M. & Rogers, G. E.) 759–771

Hair-follicle tissue, guinea-pig, characterization of the proteins of, and hair (Steinert, P. M. & Rogers, G. E.) 759–771

Heart, ox, use of progress curves to investigate product inhibition of the activity of soluble adenosine triphosphatase of mitochondria of (Philo, R. D. & Selwyn, M. J.) 525–530

Helianthus anuus, *see* Sunflower

Heliocopris japetus, *see* Dung beetle

Hen, *see* Chicken

Heparan sulphate sulphotransferase, partial purification of, from ox lung (Foley, T. & Baker, J. R.) 187–192

Heparin, use of X-ray diffraction to determine the molecular conformation of (Nieduszynski, I. A. & Atkins, E. D. T.) 729–733

Hepatopancreas, snail, interference by pyruvate in the assay of glutamine synthetase activity in homogenates of, and of rat, chicken and catfish liver (Vorhaben, J. E., Wong, L. & Campbell, J. W.) 893–896

Hexosaminidase, *see* *N*-Acetyl-β-D-hexosaminidase

Hexose-transport system, interaction of 3-deoxy-3-fluoro-D-glucose with, of the human erythrocyte membrane (Riley, G. J. & Taylor, N. F.) 773–777

Histidine residues, evidence for the involvement of, in the activity and regulation of *Escherichia coli* K12 citrate synthase (Danson, M. J. & Weitzman, P. D. J.) 513–524

Histidino-hydroxymerodesmosine (Fraction C), characterization of, as an artifact produced during the reduction of calf skin collagen with borohydride (Robins, S. P. & Bailey, A. J.) 657–665

Histidino-hydroxymerodesmosine (Fraction C), mass-spectrometric and ^{1}H- and ^{13}C-nuclear-magnetic-resonance study of, a potential cross-link of cow skin collagen (Hunt, E. & Morris, H. R.) 833–843

Histone, total, high ratios of, to deoxyribonucleic acid in rat liver nuclei isolated by different methods (Chanda, S. K., Ickowicz, R. & Dounce, A. L.) 115–123

Hopane, characterization of novel C_{35}, pentacyclic terpenoids from *Acetobacter xylinum* as derivatives of, bearing a C_5 side chain with four hydroxyl groups (Förster, H. J., Biemann, K., Haigh, W. G., Tattrie, N. H. & Colvin, J. R.) 133–143

Housefly (*Musca domestica*), cross-specificity in some glutathione transferases from mammalian liver and from, and other insects with methyl parathion, 1-chloro-2,4-dinitrobenzene and *N*-acetyl-*S*-crotonylcysteamine as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392

Hyaluronic acid, binding of oligosaccharides derived from, to proteoglycans (Hardingham, T. E. & Muir, H.) 905–908

Hydrazinolysis, structure of a hydroxyproline-containing glycopeptide released from the cell walls of sycamore tissue-culture cells by (Heath, M. F. & Northcote, D. H.) 327–329

Hydrogen ions, kinetic studies of the uptake and release of, in the overall reaction catalysed by pig skeletal-muscle D-glyceraldehyde 3-phosphate dehydrogenase (Harrigan, P. J. & Trentham, D. R.) 695–703

Hydrogen peroxide, catalase activity of ferrihaems towards (Jones, P., Robson, T. & Brown, S. B.) 353–359

Hydrogen peroxide, oxidation of deuteroferrihaem by (Jones, P., Prudhoe, K. & Robson, T.) 361–365

Hydrolysis and transfer reactions, concomitant, enzymic mechanisms involving (Frère, J.-M.) 469–481

Hydrolysis and transfer reactions, concomitant, kinetics of, catalysed by *Streptomyces* R61 DD-carboxypeptidase–peptidyltransferase (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 483–492

3-Hydroxy steroid dehydrogenase, activity of, associated with cortisone reductase (Gibb, W. & Jeffery, J.) 881–888

20β-Hydroxy steroid dehydrogenase, *see* Cortisone reductase

25-Hydroxycholecalciferol, partial purification and characterization of the proteins binding cholecalciferol and, from chick serum (Edelstein, S., Lawson, D. E. M. & Kodicek, E.) 417–426

D-2-Hydroxyglutarate, formation of, from 4,5-dioxovalerate catalysed by the glyoxalase system (Jerzykowski, T., Winter, R. & Matuszewski, W.) 713–719

Hydroxyproline residues, identification of, as the most abundant amino acid component of the protein moiety of potato-tuber lectin (Allen, A. K. & Neuberger, A.) 307–314

4-*trans*-Hydroxy-L-prolyl-4-*trans*-hydroxy-L-proline residues, cyclic, identification of, as the peptide component of a glycopeptide released from the cell walls of sycamore tissue-culture cells by hydrazinolysis (Heath, M. F. & Northcote, D. H.) 327–329

Hydroxyquinoline *N*-oxide, statistical treatment of dose–response curves in analysis of the steady-state kinetics of the inhibition by, of respiration by *Azotobacter vinelandii* particles (Henderson, P. J. F.) 101–107

5-Hydroxytryptophan, transamination of, and other aromatic amino acids by rat small-intestine preparations (Nakamura, J., Noguchi, T. & Kido, R.) 815–818

Immunochemical characterization of proteins from mouse liver plasma membrane (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 827–832

Insulin, pig, binding of cetyltrimethylammonium bromide to zinc–insulin, iso-insulin and (Birdi, K. S.) 253–255

Intervertebral disc, ox, molecular-weight distribution of glycosaminoglycans isolated from (Hopwood, J. J. & Robinson, H. C.) 631–637

Intestine, small, monkey, purification and properties of a versatile 'master' dipeptidase possessing glycyl-L-leucine hydrolase activity from the mucosa of (Das, M. & Radhakrishnan, A. N.) 609–615

Intestine, small, pig, application of a new general method for the assessment of the molecular-weight distribution of polydisperse preparations to glycoprotein isolated from the epithelium of (Gibbons, R. A., Dixon, S. N. & Pocock, D. H.) 649–653

Intestine, small, rat, partial purification and characterization of aromatic amino acid aminotransferases from (Nakamura, J., Noguchi, T. & Kido, R.) 815–818

Ionic strength, effect of, on the kinetics of the reaction catalysed by pig skeletal-muscle D-glyceraldehyde 3-phosphate dehydrogenase (Harrigan, P. J. & Trentham, D. R.) 695–703

Iron, ferrous, catalytic action of apoferritin in the uptake of, by horse spleen apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 343–348
Iron, inhibition by zinc ions of the uptake of, by apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 785–789
Iron–porphyrin complexes, dimerization and catalase activity of (Jones, P., Robson, T. & Brown, S. B.) 353–359
Iron–sulphur protein components, studies by electron paramagnetic resonance on the catalytic mechanism of, of *Klebsiella pneumoniae* nitrogenase (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341
Iron–sulphur proteins, nomenclature of [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 5–7
Iso-insulin, binding of cetyltrimethylammonium bromide to insulin, zinc–insulin and (Birdi, K. S.) 253–255

Keratan sulphate, molecular-weight distribution of, isolated from ox nasal septum and intervertebral disc (Hopwood, J. J. & Robinson, H. C.) 631–637
Keratin proteins, characterization of, of guinea-pig hair and hair-follicle tissue (Steinert, P. M. & Rogers, G. E.) 759–771
Klebsiella pneumoniae, studies by electron paramagnetic resonance on the catalytic mechanism of nitrogenase from (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341
Klebsiella pneumoniae, ultracentrifugation studies of the interaction of the component proteins of nitrogenase from (Eady, R. R.) 531–535
Krebs ascites-tumour cells, spectrometric study of the secondary structure of precursor ribosomal ribonucleic acid from (Hadjiolov, A. A. & Cox, R. A.) 349–351
Kynurenine, transamination of, and other aromatic amino acids by rat small-intestine preparations (Nakamura, J., Noguchi, T. & Kido, R.) 815–818

Lactate dehydrogenase, affinity chromatography of, and other nicotinamide–adenine-linked dehydrogenases on immobilized derivatives of oxidized nicotinamide–adenine dinucleotide (Barry, S. & O'Carra, P.) 595–607
Lactate dehydrogenase, skeletal-muscle, pig, kinetics of the interconversion of intermediates of the reaction of, with oxidized nicotinamide–adenine dinucleotide and lactate (Bennett, N. G. & Gutfreund, H.) 81–85
Lactate, kinetics of the interconversion of intermediates of the reaction of pig skeletal-muscle lactate dehydrogenase with oxidized nicotinamide–adenine dinucleotide and (Bennett, N. G. & Gutfreund, H.) 81–85
Lactose synthetase system, milk, human, effects of *N*-acetyl-D-glucosamine and D-glucose on the elution of the A protein component (galactosyltransferase) during affinity chromatography of, on Sepharose–α-lactalbumin (Andrews, P., Kitchen, B. J. & Winzor, D. J.) 897–900
Laminarinase system, properties of, obtained by fractionation of a commercial preparation of enzyme from *Flavobacterium* (*Cytophaga*) sp. N.C.I.B. 9497 (Manners, D. J. & Wilson, G.) 11–18
Lectin, purification and properties of, from potato tubers (Allen, A. K. & Neuberger, A.) 307–314

Lethocerus cordofanus and *Lethocerus maximum*, *see* Water bugs
Lipid, effect of the removal of, on the molecular size and kinetic properties of ox plasma arylesterase (Kitchen, B. J., Masters, C. J. & Winzor, D. J.) 93–99
Lipids, use of optical-rotatory-dispersion methods for investigation of the intermolecular organization of, in liposomes and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Lipopolysaccharides, identification of *O*-methyl sugar components of, from *Rhodopseudomonas viridis* and *Rhodopseudomonas palustris* (Weckesser, J., Mayer, H. & Fromme, I.) 293–297
Lipoprotein, plasma, ox, association of arylesterase activity with a fraction of (Kitchen, B. J., Masters, C. J. & Winzor, D. J.) 93–99
Liposomes, optical-rotatory-dispersion studies of compounds related to cholesterol in, and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Liver, chicken, purification and properties of phosphoribosylaminoimidazole carboxylase–phosphoribosylaminoimidazolesuccinocarboxamide synthetase from (Patey, C. A. H. & Shaw, G.) 543–545
Liver, human, different forms of *N*-acetyl-β-D-hexosaminidase component A from, and serum (Ikonne, J. U. & Ellis, R. B.) 457–462
Liver, mouse, immunochemical characterization of protein from the plasma membrane of (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 827–832
Liver, mouse, purification and properties of an alkaline phosphodiesterase from the plasma membrane of (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826
Liver, ox, identification of superoxide dismutase as a contaminant of catalase from (Halliwell, B.) 379–381
Liver, pigeon, reduction of α-oxo acids by 'malic' enzyme from (Tang, C. L. & Hsu, R. Y.) 287–291
Liver, rat, chicken and catfish, interference by pyruvate in the assay of glutamine synthetase activity in homogenates of, and of snail hepatopancreas (Vorhaben, J. E., Wong, L. & Campbell, J. W.) 893–896
Liver, rat, comparative study of the hydrolysis by ribonuclease of ribonucleic acid in membrane-bound ribosomes from rat cerebral cortex and (Simpkins, H., Panko, E. & Tay, S.) 299–305
Liver, rat, effects of high-protein and low-protein diets on the regulation by L-tyrosine and L-tryptophan of the activities of tyrosine aminotransferase and tryptophan oxygenase respectively in (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229
Liver, rat, effects of the chronic administration of phenobarbitone and its subsequent withdrawal on the activity of tryptophan pyrrolase in, and their resemblance to those of ethanol (Badawy, A. A.-B. & Evans, M.) 555–557
Liver, rat, high ratios of total histone to deoxyribonucleic acid in nuclei from, isolated by different methods (Chanda, S. K., Ickowicz, R. & Dounce, A. L.) 115–123
Liver, rat, isolation of an enzyme-bound intermediate of the overall reaction catalysed by palmitoyl-coenzyme A synthetase from the microsomal fraction of (Bar-Tana, J., Rose, G. & Shapiro, B.) 411–416

Liver, rat, mechanism of the reaction between reduced glutathione and naphth-1-ylmethyl sulphate catalysed by a glutathione *S*-arylalkyltransferase from (Gillham, B.) 797–804

Liver, rat, nature of the electrophoretically separable multiple forms of mitochondrial monoamine oxidase from (Houslay, M. D. & Tipton, K. F.) 173–186

Liver, rat, properties and regulation of the activity of methionine *S*-adenosyltransferase of (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57

Liver, rat, reaction pathway of mitochondrial membrane-bound monoamine oxidase from (Houslay, M. D. & Tipton, K. F.) 735–750

Liver, rat, subcellular distribution and properties of two aldehyde dehydrogenases of (Tottmar, S. O. C., Pettersson, H. & Kiessling, K.-H.) 577–586

Liver, rat, subcellular distribution and properties of two oxaloacetate decarboxylases of (Dean, B. & Bartley, W.) 667–672

Liver, rat, sulphation of 3,4-dihydroxyphenethylamine and related compounds by, and other tissues (Jenner, W. N. & Rose, F. A.) 109–114

Liver, rattlesnake, thermolability of 18S ribosomal ribonucleic acid from (Giorgini, J. F. & De Lucca, F. L.) 73–79

Liver, sheep, purification and properties of cytoplasmic aspartate aminotransferase from (Campos-Cavieres, M. & Munn, E. A.) 683–693

Liver, sheep, rat and mouse, cross-specificity of some glutathione transferases from insects and, with methyl parathion, 1-chloro-2,4-dinitrobenzene and *N*-acetyl-*S*-crotonylcysteamine as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392

Locust (*Locusta migratoria*), properties and regulation of the activity of glycogen phosphorylase of the fat-body of (Applebaum, S. W. & Schlesinger, H. M.) 37–41

Locusta migratoria, *see* Locust

Lung, ox, partial purification of heparan sulphate sulphotransferase from (Foley, T. & Baker, J. R.) 187–192

Lycopersicum esculentum, *see* Tomato

Lysozyme, polymerization of, and other proteins with glutaraldehyde to produce soluble protein oligomers for use as molecular-weight markers (Payne, J. W.) 867–873

L-Malate, identification of, as the product formed by the reduction of oxaloacetate by pigeon liver 'malic' enzyme (Tang, C. L. & Hsu, R. Y.) 287–291

'Malic' enzyme (EC 1.1.1.40), liver, pigeon, reduction of α-oxo acids by (Tang, C. L. & Hsu, R. Y.) 287–291

Membrane, erythrocyte, human, interaction of 3-deoxy-3-fluoro-D-glucose with the hexose-transport system of (Riley, G. J. & Taylor, N. F.) 773–777

Membrane, outer, mitochondrial, liver, rat, reaction pathway of monoamine oxidase bound to (Houslay, M. D. & Tipton, K. F.) 735–750

Membrane, plasma, liver, mouse, immunochemical characterization of proteins from (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 827–832

Membrane, plasma, liver, mouse, purification and properties of an alkaline phosphodiesterase from (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826

Membranes, *Bacillus licheniformis*, direction of biosynthesis of the glycan chain of a peptidoglycan formed by a cell-free preparation of (Ward, J. B. & Perkins, H. R.) 721–728

Membranes, erythrocytes, human, optical-rotatory-dispersion studies of compounds related to cholesterol in liposomes and (Green, J. R., Edwards, P. A. & Green, C.) 63–71

Menaphthyl sulphate (naphth-1-ylmethyl sulphate), mechanism of the reaction between reduced glutathione and, catalysed by a rat liver glutathione *S*-arylalkyltransferase (Gillham, B.) 797–804

Methionine *S*-adenosyltransferase, liver, rat, properties and regulation of the activity of (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57

Methyl parathion (dimethyl *p*-nitrophenyl phosphorothionate), cross-specificity in some mammalian liver and insect glutathione transferases with 1-chloro-2,4-dinitrobenzene, *N*-acetyl-*S*-crotonylcysteamine and, as substrates (Clark, A. G., Smith, J. N. & Speir, T. W.) 385–392

3-Methylcholanthrene, evidence for the binding of, to both purine and pyrimidine bases of deoxyribonucleic acid of cultured hamster fibroblast cells (Jones, P. A., Gevers, W. & Hawtrey, A. O.) 375–378

3-*O*-Methyl-D-mannose, identification of, as a component of lipopolysaccharides from *Rhodopseudomonas viridis* (Weckesser, J., Mayer, H. & Fromme, I.) 293–297

N-Methyl-*N*-nitrosourea, identification of 4-*O*-methylthymidine as a reaction product after the enzymic degradation of deoxyribonucleic acid that had been treated with (Lawley, P. D., Orr, D. J., Shah, S. A., Farmer, P. B. & Jarman, M.) 193–201

4-*O*-Methylthymidine, identification of, as a reaction product after the enzymic degradation of deoxyribonucleic acid that had been treated with *N*-methyl-*N*-nitrosourea (Lawley, P. D., Orr, D. J., Shah, S. A., Farmer, P. B. & Jarman, M.) 193–201

4-*O*-Methyl-D-xylose, identification of 6-deoxy-3-*O*-methyl-D-talose and, as components of lipopolysaccharides from *Rhodopseudomonas palustris* (Weckesser, J., Mayer, H. & Fromme, I.) 293–297

Mevalonate, incorporation of, into C_{50} and C_{55} prenols by *Streptococcus mutans* (Thorne, K. J. I.) 567–568

Michaelis constants, reliability of maximum velocities and, for enzyme-catalysed reactions estimated by using the integrated Michaelis–Menten equation (Atkins, G. L. & Nimmo, I. A.) 779–784

Michaelis–Menten equation, integrated, reliability of Michaelis constants and maximum velocities of enzyme-catalysed reactions estimated by using (Atkins, G. L. & Nimmo, I. A.) 779–784

Micrococcus lysodeikticus, identification of a reactive serine residue in phosphoglucomutase from (Milstein, C. P., Clarke, J. B. & Britton, H. G.) 551–553

Microsomal fraction, liver, rat, isolation of an enzyme-bound intermediate of the overall reaction catalysed by palmitoyl-coenzyme A synthetase from (Bar-Tana, J., Rose, G. & Shapiro, B.) 411–416

Milk, human, effects of *N*-acetyl-D-glucosamine and D-glucose on the elution of the A protein component (galactosyltransferase) during affinity chromatography of the lactose synthetase system from, on Sepharose–α-lactalbumin (Andrews, P., Kitchen, B. J. & Winzor, D. J.) 897–900
Mitochondria, heart, ox, use of progress curves to investigate product inhibition of the activity of soluble adenosine triphosphatase of (Philo, R. D. & Selwyn, M. J.) 525–530
Mitochondria, liver, rat, nature of the electrophoretically separable multiple forms of monoamine oxidase from (Houslay, M. D. & Tipton, K. F.) 173–186
Mitochondria, liver, rat, partial purification and properties of oxaloacetate decarboxylase from (Dean, B. & Bartley, W.) 667–672
Mitochondria, liver, rat, reaction pathway of monoamine oxidase bound to the outer membrane of (Houslay, M. D. & Tipton, K. F.) 735–750
Monkey, purification and properties of a versatile 'master' dipeptidase possessing glycyl-L-leucine hydrolase activity from the small-intestinal mucosa of (Das, M. & Radhakrishnan, A. N.) 609–615
Monoamine oxidase, membrane-bound, mitochondrial, liver, rat, reaction pathway of (Houslay, M. D. & Tipton, K. F.) 735–750
Monoamine oxidase, mitochondrial, liver, rat, nature of the electrophoretically separable multiple forms of (Houslay, M. D. & Tipton, K. F.) 173–186
Mucosa, small-intestinal, monkey, purification and properties of a versatile 'master' dipeptidase possessing glycyl-L-leucine hydrolase activity from (Das, M. & Radhakrishnan, A. N.) 609–615
Musca domestica, *see* Housefly
Muscle, flight, water-bug and dung-beetle, preparation and properties of the contractile and regulatory properties from (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286
Muscle, skeletal, pig, kinetic studies of the acylation by 1,3-diphosphoglycerate of D-glyceraldehyde 3-phosphate dehydrogenase from, and of the uptake and release of protons in the overall enzyme mechanism (Harrigan, P. J. & Trentham, D. R.) 695–703
Muscle, skeletal, pig, kinetics of the interconversion of intermediates of the reaction of lactate dehydrogenase from, with oxidized nicotinamide-adenine dinucleotide and lactate (Bennett, N. G. & Gutfreund, H.) 81–85
Muscle, skeletal, rabbit, characterization of a light-chain component of myosin from (Perrie, W. T., Smillie, L. B. & Perry, S. V.) 151–164
Muscle, skeletal, rabbit, comparison of the effects of anions on the properties and mechanisms of action of ox smooth-muscle creatine kinase and of pyruvate kinase from (Focant, B. & Watts, D. C.) 265–276
Muscle, skeletal, rabbit, purification and properties of L-glycerol 3-phosphate dehydrogenase from (Bentley, P., Dickinson, L. F. M. & Jones, I. G.) 853–859
Muscle, skeletal, rabbit, refolding and reactivation of triose phosphate isomerase from, after treatment with guanidinium chloride (Waley, S. G.) 165–172
Muscle, smooth, ox, comparison of the effects of anions on the properties and mechanisms of action of rabbit skeletal-muscle pyruvate kinase and of creatine kinase from (Focant, B. & Watts, D. C.) 265–276
Myelin basic protein, human and rat, phosphorylation of, by an adenosine 3′:5′-cyclic monophosphate-dependent protein kinase (Carnegie, P. R., Kemp, B. E., Dunkley, P. R. & Murray, A. W.) 569–572
Myosin, plasmodial, biosynthesis of, during starvation of *Physarum polycephalum* (White, F. H. & Lascelles, J.) 639–647
Myosin, preparation and properties of tropomyosin, troponin, actin and, from water-bug and dung-beetle flight muscle (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286
Myosin, skeletal-muscle, rabbit, characterization of a light-chain component of (Perrie, W. T., Smillie, L. B. & Perry, S. V.) 151–164

Naphth-1-ylmethyl sulphate, mechanism of the reaction between reduced glutathione and, catalysed by a rat liver glutathione *S*-arylalkyltransferase (Gillham, B.) 797–804
Nasal septum, ox, molecular-weight distribution of glycosaminoglycans isolated from (Hopwood, J. J. & Robinson, H. C.) 631–637
Nervous tissue, prawn, regional distribution of acetylcholinesterase, cholinesterase, choline acetyltransferase and acetylcholine in, and other tissues (Veldsema-Currie, R. D.) 673–682
Neurophysin, binding of [2-(3-nitrotyrosine)]oxytocin by (Hope, D. B. & Wälti, M.) 241–243
Nicotinamide–adenine dinucleotide, oxidized, affinity chromatography of nicotinamide–adenine dinucleotide-linked dehydrogenases on immobilized derivatives of (Barry, S. & O'Carra, P.) 595–607
Nicotinamide–adenine dinucleotide, oxidized, kinetics of the interconversion of intermediates of the reaction of pig skeletal-muscle lactate dehydrogenase with lactate and (Bennett, N. G. & Gutfreund, H.) 81–85
Nicotinamide–adenine dinucleotide, reduced, role of, in the regulation of the activity of the 2-oxoglutarate dehydrogenase system of *Acinetobacter lwoffi* (Parker, M. G. & Weitzman, P. D. J.) 215–223
Ninhydrin, acidic, effect of a high tyrosine content on the determination of the tryptophan content in proteins by the use of (Zahnley, J. C. & Davis, J. G.) 59–61
Nitrogenase, *Klebsiella pneumoniae*, studies by electron paramagnetic resonance on the catalytic mechanism of (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341
Nitrogenase, *Klebsiella pneumoniae*, ultracentrifugation studies of the interaction of the component proteins of (Eady, R. R.) 531–535
[2-(3-Nitrotyrosine]oxytocin, binding of, by neurophysin (Hope, D. B. & Wälti, M.) 241–243
Nuclei, liver, rat, high ratios of total histone to deoxyribonucleic acid in, isolated by different methods (Chanda, S. K., Ickowicz, R. & Dounce, A. L.) 115–123
Nucleic acids, use of sodium perchlorate in deproteinization during the preparation of (Wilcockson, J.) 559–561
Nucleotide phosphodiesterase, purification and properties of, from mouse liver plasma membrane (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826
Nucleotide sequences, comparison of, of the cytoplasmic 5S ribosomal ribonucleic acids from the seeds of broad bean, dwarf bean, sunflower, tomato and rye (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851

Oligosaccharides, *N*-acetylglucosamine-containing inhibition by, of the agglutination reaction of potato-tuber lectin (Allen, A. K. & Neuberger, A.) 307–314
Oligosaccharides, binding of, derived from hyaluronic acid to proteoglycans (Hardingham, T. E. & Muir, H.) 905–908
Ornithine residue, tentative identification of, as an amino acid component of the protein moiety of potato-tuber lectin (Allen, A. K. & Neuberger, A.) 307–314
Ovalbumin–rabbit anti-ovalbumin complex, dissociation of (Ansari, A. A. & Salahuddin, A.) 705–711
Ovoinhibitor, chicken, effect of a high tyrosine content on the determination of the tryptophan content in, by the acidic ninhydrin method (Zahnley, J. C. & Davis, J. G.) 59–61
Oxaloacetate decarboxylases, two, subcellular distribution and properties of, of rat liver (Dean, B. & Bartley, W.) 667–672
Oxaloacetate, reduction of, and other α-oxo acids by pigeon liver 'malic' enzyme (Tang, C. L. & Hsu, R. Y.) 287–291
α-Oxo acids, reduction of, by pigeon liver 'malic' enzyme (Tang, C. L. & Hsu, R. Y.) 287–291
2-Oxoglutarate dehydrogenase system, purification and regulatory properties of, from *Acinetobacter lwoffi* (Parker, M. G. & Weitzman, P. D. J.) 215–223
Oxyhaemoglobins A, A_2, C and S, human, thermal denaturation of (Kinderlerer, J., Lehmann, H. & Tipton, K. F.) 805–814
Oxytocin, [2-(3-nitrotyrosine)]-, binding of, by neurophysin (Hope, D. B. & Wälti, M.) 241–243

Palaemonetes varians, *see* Prawn
Palmitoyl-coenzyme A synthetase, microsomal, liver, rat, isolation of an enzyme-bound intermediate of the overall reaction catalysed by (Bar-Tana, J., Rose, G. & Shapiro, B.) 411–416
Pancreas, bison, isolation and partial characterization of ribonuclease A from (Stewart, G. R. & Stevenson, K. J.) 427–441
Pea (*Pisum sativum*) epicotyls, inhibition by purine nucleotides of the activity of 3-phosphoglycerate dehydrogenases from (Slaughter, J. C.) 563–565
Penicillin, fluorescence and circular-dichroism studies on the binding of, to *Streptomyces* R61 exocellular DD-carboxypeptidase–peptidyltransferase (Nieto, M., Perkins, H. R., Frère, J.-M. & Ghuysen, J.-M.) 493–505
Peptides, corrections to recommendations for symbols for amino acid derivatives and [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 9–10
Peptides, cross-linked, isolation of, from chicken bone collagen (Eyre, D. R. & Glimcher, M. J.) 393–403
Peptides, electrophoretic mobility of, at pH1.9 (Bailey, C. J. & Ramshaw, J. A. M.) 889–891
Peptides, natural, amendments to rules for naming synthetic modifications of [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 9–10
Peptides, qualitative determination of *N*-terminal amino acid residues of, with cobalt(III) chelates (Bentley, K. W. & Creaser, E. H.) 507–511
Peptidoglycan, direction of biosynthesis of the glycan chain of, formed by a cell-free preparation of *Bacillus licheniformis* membranes (Ward, J. B. & Perkins, H. R.) 721–728
Peptidyltransferase–DD-carboxypeptidase, exocellular, *Streptomyces* R61, fluorescence and circular-dichroism studies on the binding of penicillin to (Nieto, M., Perkins, H. R., Frère, J.-M. & Ghuysen, J.-M.) 493–505
Peptidyltransferase–DD-carboxypeptidase, exocellular, *Streptomyces* R61, kinetics of concomitant transfer and hydrolysis reactions catalysed by (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 483–492
Peptidyltransferase–DD-carboxypeptidase, exocellular *Streptomyces* R61, molecular weight and amino acid composition of (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 463–468
Perchlorate, sodium, effect of, on the electrophoretically separable multiple forms of rat liver mitochondrial monoamine oxidase (Houslay, M. D. & Tipton, K. F.) 173–186
Perchlorate, sodium, use of, in deproteinization during the preparation of nucleic acids (Wilcockson, J.) 559–561
Periplaneta americana, *see* Cockroach
Phaseolus vulgaris, *see* Bean, dwarf
Phenobarbitone, effects of the chronic administration of, and its subsequent withdrawal on the activity of tryptophan pyrrolase in rat liver and their resemblance to those of ethanol (Badawy, A. A.-B. & Evans, M.) 555–557
Phenyl acetate, effect of the removal of lipid on the kinetic properties of ox plasma arylesterase with, as substrate (Kitchen, B. J., Masters, C. J. & Winzor, D. J.) 93–99
Phenylalanine, transamination of, and other aromatic amino acids by rat small-intestine preparations (Nakamura, J., Noguchi, T. & Kido, R.) 815–818
Phosphatase, alkaline, separation and partial characterization of two types of, from *Serratia marcescens* (Bhatti, A. R.) 537–538
3′-Phosphoadenosine 5′-sulphatophosphate, *see* Adenosine 3′-phosphate 5′-sulphatophosphate
Phosphodiesterase, alkaline, purification and properties of, from mouse liver plasma membrane (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826
Phosphoglucomutase, *Micrococcus lysodeikticus*, identification of a reactive serine residue in (Milstein, C. P., Clarke, J. B. & Britton, H. G.) 551–553
3-Phosphoglycerate dehydrogenase, pea-epicotyl, inhibition by purine nucleotides of the activity of (Slaughter, J. C.) 563–565
Phospholipid, relative amounts of, in the electrophoretically separable multiple forms of rat liver mitochondrial monoamine oxidase (Houslay, M. D. & Tipton, K. F.) 173–186
Phospholipids, use of optical-rotatory-dispersion methods for investigation of the intermolecular organization of sterols and, in liposomes and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Phosphoribosylaminoimidazole carboxylase–phosphoribosylaminoimidazolesuccinocarboxamide synthetase, purification and properties of, from chicken liver 543–545

Phosphoribosylaminoimidazolesuccinocarboxamide synthetase–phosphoribosylaminoimidazole carboxylase, purification and properties of, from chicken liver (Patey, C. A. H. & Shaw, G.) 543–545

Phosphorylase, fat-body, locust, properties and regulation of the activity of (Applebaum, S. W. & Schlesinger, H. M.) 37–41

Physarum polycephalum, biosynthesis of plasmodial myosin during starvation of (White, F. H. & Lascelles, J.) 639–647

Pisum sativum, *see* Pea

Plasma, human, amino acid sequence around the reactive cysteine residue in coagulation Factor XIII from (Holbrook, J. J., Cooke, R. D. & Kingston, I. B.) 901–903

Plasma membrane, *see* Membrane, plasma

Plasma, ox, effects of the removal of lipid on the molecular size and kinetic properties of arylesterase from (Kitchen, B. J., Masters, C. J. & Winzor, D. J.) 93–99

Plasmodia, biosynthesis of myosin during starvation of, of *Physarum polycephalum* (White, F. H. & Lascelles, J.) 639–647

Polydisperse preparations, derivation of an approximate function relating c and ξ for Schulz molecular-weight distributions of, in the meniscus-depeletion condition in the equilibrium centrifuge (Gibbons, R. A.) 653–655

Polydisperse preparations, new general method for the assessment of the molecular-weight distribution of (Gibbons, R. A., Dixon, S. N. & Pocock, D. H.) 649–653

Polypeptide chains, regulatory, removal of, from *Escherichia coli* K12 aspartate carbamoyltransferase by digestion with trypsin (Heyde, E., Nagabhushanam, A. & Venkataraman, S.) 125–132

Polysaccharide, phosphorylated, structure of, containing *N*-acetylglucosamine residues from the cell wall of *Bacillus subtilis* 168 (Shibaev, V. N., Duckworth, M., Archibald, A. R. & Baddiley, J.) 383–384

Potato (*Solanum tuberosum*) tubers, purification and properties of the lectin from (Allen, A. K. & Neuberger, A.) 307–314

Prawn (*Palaemonetes varians*), regional distribution of acetylcholinesterase, cholinesterase, choline acetyltransferase and acetylcholine in the tissues of (Veldsema-Currie, R. D.) 673–682

Prenols, C_{50} and C_{55}, incorporation of mevalonate into, by *Streptococcus mutans* (Thorne, K. J. I.) 567–568

Procollagen, tendon, chick, evidence that, must be denatured to serve as a substrate for proline hydroxylase (Murphy, L. & Rosenbloom, J.) 249–251

Proline hydroxylase, evidence that chick tendon procollagen must be denatured to serve as a substrate for (Murphy, L. & Rosenbloom, J.) 249–251

Protein, basic, myelin, human and rat, phosphorylation of, by an adenosine 3′:5′-cyclic monophosphate-dependent protein kinase (Carnegie, P. R., Kemp, B. E., Dunkley, P. R. & Murray, A. W.) 569–572

Protein components, iron–sulphur, studies by electron paramagnetic resonance on the catalytic mechanism of, of *Klebsiella pneumoniae* nitrogenase (Smith, B. E., Lowe, D. J. & Bray, R. C.) 331–341

Protein, effects of diets with high and with low contents of, on the regulation by L-tyrosine and L-tryptophan of the activities of tyrosine aminotransferase and tryptophan oxygenase respectively in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229

Protein kinase, adenosine 3′:5′-cyclic monophosphate-dependent, phosphorylation of human and rat myelin basic protein by (Carnegie, P. R., Kemp, B. E. Dunkely, P. R. & Murray, A. W.) 569–572

Protein, lability of transferase enzymes involved in the biosynthesis of, in rye embryos during senescence (Roberts, B. E. & Osborne, D. J.) 405–410

Protein–polysaccharides, *see* Proteoglycans

Proteins, characterization of, of guinea-pig hair and hair-follicle tissue (Steinert, P. M. & Rogers, G. E.) 759–771

Proteins, cholecalciferol- and 25-hydroxycholecalciferol-binding, partial purification and characterization of, from chick serum (Edelstein, S., Lawson, D. E. M. & Kodicek, E.) 417–426

Proteins, component, ultracentrifugation studies of the interaction of, of *Klebsiella pneumoniae* nitrogenase (Eady, R. R.) 531–535

Proteins, contractile and regulatory, preparation and properties of, from water-bug and dung-beetle flight muscle (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286

Proteins, effect of a high tyrosine content on the determination of the tryptophan content in, by the acidic ninhydrin method (Zahnley, J. C. & Davis, J. G.) 59–61

Proteins, immunochemical characterization of, from mouse liver plasma membrane (Gurd, J. W., Evans, W. H. & Perkins, H. R.) 827–832

Proteins, iron–sulphur, nomenclature of [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 5–7

Proteins, polymerization of, with glutaraldehyde to produce soluble protein oligomers suitable for use as molecular-weight markers (Payne, J. W.) 867–873

Proteins, qualitative determination of *N*-terminal amino acid residues of, with cobalt(III) chelates (Bentley, K. W. & Creaser, E. H.) 507–511

Proteoglycans, binding of oligosaccharides derived from hyaluronic acid to (Hardingham, T. E. & Muir, H.) 905–908

Proteoglycans, method for the preparation from human cartilage of insoluble collagen free of (Steven, F. S. & Thomas, H.) 245–247

Protons, kinetic studies of the uptake and release of, in the overall reaction catalysed by pig skeletal-muscle D-glyceraldehyde 3-phosphate dehydrogenase (Harrigan, P. J. & Trentham, D. R.) 695–703

Purine nucleotides, inhibition by, of the activity of pea-epicotyl 3-phosphoglycerate dehydrogenase (Slaughter, J. C.) 563–565

Pyridoxal, amendments to rules for the nomenclature of, and related compounds [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 9–10

Pyrophosphatase, activity of, associated with an alkaline phosphodiesterase purified from mouse liver plasma membrane (Evans, W. H., Hood, D. O. & Gurd, J. W.) 819–826

Pyruvate kinase, skeletal-muscle, rabbit, comparison of the effects of anions on the properties and mechanisms of action of ox smooth-muscle creatine kinase and (Focant, B. & Watts, D. C.) 265–276
Pyruvate, reduction of, and other α-oxo acids by pigeon liver 'malic' enzyme (Tang, C. L. & Hsu, R. Y. 287–291

Rattlesnake (*Crotalus durissus terrificus*), thermolability of 18S ribosomal ribonucleic acid from the liver of (Giorgini, J. F. & De Lucca, F. L.) 73–79
Red blood cells, *see* Erythrocytes
Redox potentials, comparison of, and other properties of four cytochromes *c* from *Azotobacter vinelandii* (Campbell, W. H., Orme-Johnson, W. H. & Burris, R. H.) 617–630
References, bibliographic, citation of, in biochemical journals (IUB Commission of Editors of Biochemical Journals) 1–3
Reticulum, endoplasmic, cerebral-cortex and liver, rat, comparative study of the hydrolysis by ribonuclease of ribosomal ribonucleic acid in ribosomes bound to (Simpkins, H., Panko, E. & Tay, S.) 299–305
Rhodopseudomonas palustris, identification of 4-*O*-methyl-D-xylose and 6-deoxy-3-*O*-methyl-D-talose as components of lipopolysaccharides from (Weckesser, J., Mayer, H. & Fromme, I.) 293–297
Rhodopseudomonas spheroides N.C.I.B. 8253, mechanism and stereochemistry of the reaction catalysed by 5-aminolaevulinate synthetase from (Zaman, Z., Jordan, P. M. & Akhtar, M.) 257–263
Rhodopseudomonas viridis, identification of 3-*O*-methyl-D-mannose as a component of lipopolysaccharides from (Weckesser, J., Mayer, H. & Fromme, I.) 293–297
Ribonuclease A, effect of the structure of surface-active agents on their interaction with (Blinkhorn, C. & Jones, M. N.) 547–549
Ribonuclease A, interaction between surface-active agents and (Jones, M. N., Skinner, H. A., Tipping, E. & Wilkinson, A.) 213–236
Ribonuclease A, isolation and partial characterization of, from bison pancreas (Stewart, G. R. & Stevenson, K. J.) 427–441
Ribonuclease, comparative study of the hydrolysis by, of ribosomal ribonucleic acid in membrane-bound ribosomes from rat cerebral cortex and liver (Simpkins, H., Panko, E. & Tay, S.) 299–305
Ribonucleic acid, hybridization of deoxyribonucleic acid with, as a second-order reaction (Young, B. D. & Paul, J.) 573–576
Ribonucleic acid, ribosomal, comparative study of the hydrolysis by ribonuclease of, in membrane-bound ribosomes from rat cerebral cortex and liver (Simpkins, H., Panko, E. & Tay, S.) 299–305
Ribonucleic acid, ribosomal, 18S, liver, rattlesnake, thermolability of (Giorgini, J. F. & De Lucca, F. L.) 73–79
Ribonucleic acid, ribosomal, precursor, spectrometric study of the secondary structure of, from Krebs ascites-tumour cells (Hadjiolov, A. A. & Cox, R. A.) 349–351
Ribonucleic acid (transfer) synthetase, tryptophyl-, purification and characterization of, from water-buffalo brain (Liu, C.-C., Chung, C.-H. & Lee, M.-L.) 367–373
Ribonucleic acid, use of sodium perchlorate in deproteinization during the preparation of (Wilcockson, J.) 559–561
Ribonucleic acids, ribosomal, chloroplast, broad-bean, molecular integrity of (Leaver, C. J.) 237–239
Ribonucleic acids, ribosomal, 5S, cytoplasmic, comparison of the nucleotide sequences of, from the seeds of broad bean, dwarf bean, sunflower, tomato and rye (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851
Ribosomal ribonucleic acid, *see* Ribonucleic acid, ribosomal
Ribosomes, membrane-bound, cerebral-cortex and liver, rat, comparative study of the hydrolysis by ribonuclease of ribosomal ribonucleic acid in (Simpkins, H., Panko, E. & Tay, S.) 299–305
Rye (*Secale cereale*) embryos, lability of transferase enzymes involved in protein biosynthesis in, during senescence (Roberts, B. E. & Osborne, D. J.) 405–410
Rye (*Secale cereale*) grain, comparison of the nucleotide sequences of the cytoplasmic 5S ribosomal ribonucleic acids from, and the seeds of other higher plants (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851

Saccharomyces cerevisiae, structure of a β-(1→3)-D-glucan obtained as a major component of the glucans of the cell wall of (Manners, D. J., Masson, A. J. & Patterson, J. C.) 19–30
Saccharomyces cerevisiae, structure of β-(1→6)-D-glucan obtained as a minor component of the glucans of the cell wall of (Manners, D. J., Masson, A. J., Patterson, J. C., Björndal, H. & Lindberg, B.) 31–36
Schulz molecular-weight distributions, derivation of an approximate function relating *c* and ξ for, in the meniscus-depletion condition in the equilibrium centrifuge (Gibbons, R. A.) 653–655
Secale cereale, *see* Rye
Senescence, lability of transferase enzymes involved in protein biosynthesis in rye embryos during (Roberts, B. E. & Osborne, D. J.) 405–410
Serine residue, phosphorylation of, of a light-chain component of rabbit skeletal-muscle myosin (Perrie, W. T., Smillie, L. B. & Perry, S. V.) 151–164
Serine residue, reactive, identification of, in *Micrococcus lysodeikticus* phosphoglucomutase (Milstein, C. P., Clark, J. B. & Britton, H. G.) 551–553
Serratia marcescens, separation and partial characterization of two types of alkaline phosphatase from (Bhatti, A. R.) 537–538
Serum albumin, *see* Albumin, serum
Serum, chick, partial purification and characterization of the cholecalciferol- and 25-hydroxycholecalciferol-binding proteins from (Edelstein, S., Lawson, D. E. M. & Kodicek, E.) 417–426
Serum, human, characteristics of coagulation Factor X*a* from (Berre, Å, G., Østerud, B., Christensen, T. B., Holm, T. & Prydz, H.) 791–795
Serum, human, different forms of *N*-acetyl-β-D-hexosaminidase component A from, and liver (Ikonne, J. U. & Ellis, R. B.) 457–462
Serum, ox, structural studies on individual components of transferrins from (Richardson, N. E., Buttress, N., Feinstein, A., Stratil, A. & Spooner, R. L.) 87–92
Skeletal muscle, *see* Muscle, skeletal

Skin, calf, characterization of Fraction C (histidinohydroxymerodesmosine) as an artifact produced during the reduction of collagen from, with borohydride (Robins, S. P. & Bailey, A. J.) 657–665
Skin, cow, mass-spectrometric and ^{1}H- and ^{13}C-nuclear-magnetic-resonance study of a potential cross-link of collagen from (Hunt, E. & Morris, H. R.) 833–843
Slime mould (*Physarum polycephalum*), biosynthesis of plasmodial myosin during starvation of (White, F. H. & Lascelles, J.) 639–647
Small intestine, *see* Intestine, small
Smooth muscle, *see* Muscle, smooth
Sodium dodecyl sulphate, interaction between ribonuclease A and (Jones, M. N., Skinner, H. A., Tipping, E. & Wilkinson, A.) 231–236
Sodium perchlorate, effect of, on the electrophoretically separable multiple forms of rat liver mitochondrial monoamine oxidase (Houslay, M. D. & Tipton, K. F.) 173–186
Sodium perchlorate, use of, in deproteinization during the preparation of nucleic acids (Wilcockson, J.) 559–561
Solanum tuberosum, *see* Potato
Spleen, horse, catalytic action of apoferritin in the formation of ferritin from apoferritin from (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 343–348
Starfish (*Asterias rubens*), identification of the sterols of (Smith, A. G., Rubinstein, I. & Goad, L. J.) 443–455
Starvation, biosynthesis of plasmodial myosin during, of *Physarum polycephalum* (White, F. H. & Lascelles. J.) 639–647
Steroids, androgenic, behaviour of, as substrates for cortisone reductase (Gibb, W. & Jeffery, J.) 881–888
Steroids, optical-rotatory-dispersion studies of, related to cholesterol in liposomes and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Sterols, identification of, of the starfish *Asterias rubens* (Smith, A. G., Rubinstein, I. & Goad, L. J.) 443–455
Sterols, use of optical-rotatory-dispersion methods for investigation of the intermolecular organization of phospholipids and, in liposomes and human erythrocyte membranes (Green, J. R., Edwards, P. A. & Green, C.) 63–71
Streptococcus mutans, incorporation of mevalonate into C_{50} and C_{55} prenols by (Thorne, K. J. I.) 567–568
Streptomyces R61, fluorescence and circular-dichroism studies on the binding of penicillin to the exocellular DD-carboxypeptidase–peptidyltransferase of (Nieto, M., Perkins, H. R., Frère, J.-M. & Ghuysen, J.-M.) 493–505
Streptomyces R61, kinetics of concomitant transfer and hydrolysis reactions catalysed by the exocellular DD-carboxypeptidase–peptidyltransferase of (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 483–492
Streptomyces R61, molecular weight and amino acid composition of the exocellular DD-carboxypeptidase–peptidyltransferase of (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 463–468
Sugars, explanation of the asymmetric binding of, to the sugar-transport systems of human erythrocytes (Barnett, J. E. G., Holman, G. D. & Munday, K. A.) 539–541
Sulphotransferases, activity of, of rat tissues towards 3,4-dihydroxyphenethylamine and related compounds (Jenner, W. N. & Rose, F. A.) 109–114
Sunflower (*Helianthus anuus*), comparison of the nucleotide sequences of the cytoplasmic 5S ribosomal ribonucleic acids from the seeds of, and other higher plants (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851
Supernatant fraction, *see* Cytosol
Superoxide dismutase, identification of, as a contaminant of ox liver catalase (Halliwell, B.) 379–381
Surface-active agents, effect of their structure on the interaction of, with ribonuclease A (Blinkhorn, C. & Jones, M. N.) 547–549
Surface-active agents, interaction between ribonuclease A and (Jones, M. N., Skinner, H. A., Tipping, E. & Wilkinson, A.) 231–236
Sycamore (*Acer pseudoplanatus*) cells, cultured, structure of a hydroxyproline-containing glycopeptide released from the cell walls of, by hydrazinolysis (Heath, M. F. & Northcote, D. H.) 327–329

Tendon, chick, evidence that procollagen from, must be denatured to serve as a substrate for proline hydroxylase (Murphy, L. & Rosenbloom, J.) 249–251
Terpenoid, pentacyclic, C_{35}, novel, induction of orientation of extracellular cellulose microfibrils by, from *Acetobacter xylinum* (Haigh, W. G., Förster, H. J., Biemann, K., Tattrie, N. H. & Colvin, J. R.) 145–149
Terpenoids, pentacyclic, C_{35}, novel, structure of, from *Acetobacter xylinum* (Förster, H. J., Biemann, K., Haigh, W. G., Tattrie, N. H. & Colvin, J. R.) 133–143
Tetrahydrofolate dehydrogenase, statistical treatment of dose–response curves in analysis of the steady-state kinetics of the inhibition by aminopterin of the activity of (Henderson, P. J. F.) 101–107
Tetrahydroxybacteriohopane, induction of orientation of extracellular cellulose microfibrils by, from *Acetobacter xylinum* (Haigh, W. G., Förster, H. J., Biemann, K., Tattrie, N. H. & Colvin, J. R.) 145–149
Tetrahydroxybacteriohopane, structure of, from *Acetobacter xylinum* (Förster, H. J., Biemann, K., Haigh, W. G., Tattrie, N. H. & Colvin, J. R.) 133–143
Tetranitromethane, synthesis of [2-(3-nitrotyrosine)]-oxytocin by nitration of oxytocin with (Hope, D. B. & Wälti, M.) 241–243
Thymidine, alkylation of 2′-deoxyguanosine and, with diazoalkanes (Farmer, P. B., Foster, A. B., Jarman, M. & Tisdale, M. J.) 203–213
Thymidine, relative utilization of thymine and, for 'repair' and 'replicative' types of biosynthesis of deoxyribonucleic acid in *Bacillus subtilis* during normal growth (Harris, W. J.) 315–325
Thymidine residues, identification of 4-*O*-methylthymidine as a reaction product after the enzymic degradation of deoxyribonucleic acid containing, that had been treated with *N*-methyl-*N*-nitrosourea (Lawley, P. D., Orr, D. J., Shah, S. A., Farmer, P. B. & Jarman, M.) 193–201
Thymine, relative utilization of thymidine and, for 'replicative' and 'repair' types of biosynthesis of deoxyribonucleic acid in *Bacillus subtilis* during normal growth (Harris, W. J.) 315–325

Tomato (*Lycopersicum esculentum*), comparison of the nucleotide sequences of the cytoplasmic 5S ribosomal ribonucleic acids from the seeds of, and other higher plants (Payne, P. I., Corry, M. J. & Dyer, T. A.) 845–851
Transfer and hydrolysis reactions, concomitant, enzymic mechanisms involving (Frère, J.-M.) 469–481
Transfer and hydrolysis reactions, concomitant, kinetics of, catalysed by *Streptomyces* R61 DD-carboxypeptidase–peptidyltransferase (Frère, J.-M., Ghuysen, J.-M., Perkins, H. R. & Nieto, M.) 483–492
Transfer ribonucleic acid, *see* Ribonucleic acid, transfer
Transferase enzymes, lability of, involved in protein biosynthesis in rye embryos during senescence (Roberts, B. E. & Osborne, D. J.) 405–410
Transferrins, ox, structural studies on individual components of (Richardson, N. E., Buttress, N., Feinstein, A., Stratil, A. & Spooner, R. L.) 87–92
Trichoderma koningii, nature and mode of action of the cellulolytic component C_1 of, on native cellulose (Halliwell, G. & Griffin, M.) 587–594
Triose phosphate isomerase, skeletal-muscle, rabbit, refolding and reactivation of, after treatment with guanidinium chloride (Waley, S. G.) 165–172
Tripolyphosphate, inorganic, effect of, on the activity of rat liver methionine *S*-adenosyltransferase (Lombardini, J. B., Chou, T.-C. & Talalay, P.) 43–57
Tropomyosin, preparation and properties of actin, myosin, troponin and, from water-bug and dung-beetle flight muscle (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286
Troponin, preparation and properties of actin, myosin, tropomyosin and, from water-bug and dung-beetle flight muscle (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286
Trypsin, enzyme forms produced from *Escherichia coli* K12, aspartate carbamoyltransferase by digestion with (Heyde, E., Nagabhushanam, A. & Venkataraman, S.) 125–132
Tryptophan, effect of a high tyrosine content on the determination of the content of, in proteins by the acidic ninhydrin method (Zahnley, J. C. & Davis, J. G.) 59–61
L-Tryptophan, lack of effect of high-protein and low-protein diets on the regulation by, of the activity of tryptophan oxygenase in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229
Tryptophan oxygenase, lack of effect of high-protein and low-protein diets on the regulation by L-tryptophan of the activity of, in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229
Tryptophan pyrrolase, effects of the chronic administration of phenobarbitone and its subsequent withdrawal on the activity of, in rat liver and their resemblance to those of ethanol (Badawy, A. A.-B. & Evans, M.) 555–557
Tryptophan residues, evidence for the involvement of, in the activity of *Escherichia coli* K12 synthase (Danson, M. J. & Weitzman, P. D. J.) 513–524
Tryptophan, transamination of, and other aromatic amino acids by rat small-intestine preparations (Nakamura, J., Noguchi, T. & Kido, R.) 815–818
Tryptophyl-transfer-ribonucleic acid synthetase, purification and characterization of, from water-buffalo brain (Liu, C.-C., Chung, C.-H. & Lee, M.-L.) 367–373
Tubers, potato, purification and properties of the lectin from (Allen, A. K. & Neuberger, A.) 307–314
Tumour cells, ascites, Krebs, spectrometric study of the secondary structure of precursor ribosomal ribonucleic acid from (Hadjiolov, A. A. & Cox, R. A.) 349–351
Tyrosine aminotransferase, effects of high-protein and low-protein diets on the regulation by L-tyrosine of the activity of, in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229
Tyrosine, effect of a high content of, on the determination of the tryptophan content in proteins by the acidic ninhydrin method (Zahnley, J. C. & Davis, J. G.) 59–61
L-Tyrosine, effects of high-protein and low-protein diets on the regulation by, of the activity of tyrosine aminotransferase in rat liver (Mukhtar, H., Sahib, M. K. & Krishna Murti, C. R.) 225–229
L-Tyrosine methyl ester sulphotransferase, activity of, of rat tissues towards 3,4-dihydroxyphenethylamine and related compounds (Jenner, W. N. & Rose, F. A.) 109–114
Tyrosine transamination of, and other aromatic amino acids by rat small-intestine preparations (Nakamura, J., Noguchi, T. & Kido, R.) 815–818

Vicia faba, *see* Bean, broad
Vitamin D_3, *see* Cholecalciferol
Vitamins B_6, amendments to rules for the nomenclature of, and related compounds [IUPAC–IUB Commission on Biochemical Nomenclature (CBN)] 9–10

Wall, cell, *see* Cell wall
Water buffalo (*Bubalus buffelus*), purification and characterization of tryptophyl-transfer-ribonucleic acid synthetase from the brain of (Liu, C.-C., Chung, C.-H. & Lee, M.-L.) 367–373
Water bugs (*Lethocerus cordofanus* and *Lethocerus maximus*), preparation and properties of the contractile and regulatory proteins from flight muscle of (Bullard, B., Dabrowska, R. & Winkelman, L.) 277–286

Yeast, baker's (*Saccharomyces cerevisiae*), structure of a β-(1→3)-D-glucan obtained as a major component of the glucans of the cell wall of (Manners, D. J., Masson, A. J. & Patterson, J. C.) 19–30
Yeast, baker's (*Saccharomyces cerevisiae*), structure of a β-(1→6)-D-glucan obtained as a minor component of the glucans of the cell wall of (Manners, D. J., Masson, A. J., Patterson, J. C., Björndal, H. & Lindberg, B.) 31–36

Zinc–insulin, binding of cetyltrimethylammonium bromide to insulin, iso-insulin and (Birdi, K. S.) 253–255
Zinc ions, inhibition by, of the uptake of iron by apoferritin (Macara, I. G., Hoy, T. G. & Harrison, P. M.) 785–789

BJECTS

, purifi-
r-buffalo
.) 367–

he lectin
-314
ly of the
al ribo-
, R. A.)

tein and
ne of the
M. K. &

mination
ne acidic
, J. G.)

ein diets
tyrosine
, Sahib,

ity of, of
nine and
, F. A.)

ic amino
kamura,

enclature
nmission

d charac-
acid syn-
C.-H. &

rus maxi-
ontractile
uscle of
man, L.)

structure
jor com-
Manners,
30
ucture of
mponent
Masson,
lberg, B.)

um brom-
253–255
poferritin
, P. M.)

1973